## REPORTING AND INVESTIGATING CLAIMS, PROPERTY DAMAGE AND MOTOR VEHICLE ACCIDENTS

CONTENTS	PAGE
1. GENERAL	1
2. RESPONSIBILITY/INVESTIGATION AT THE SCENE OF THE ACCIDENT (INCLUDING MOTOR VEHICLE) .	2
3. INVESTIGATION OF ACCIDENTS NOT WITNESSED BY AN EMPLOYEE	4
4. CLAIMS AGAINST THE COMPANY	4
5. COMPANY CLAIMS AGAINST THE PUBLIC (EXCLUDING MOTOR VEHICLES)	9
6. MALICIOUS DAMAGE TO STATION EQUIPMENT UNDER \$100	11

#### 1. GENERAL

- 1.01 This Section is issued to describe the procedures to be followed by management in all departments in investigating, reporting and handling accidents involving:
  - (a) Claims against the Company
  - (b) Company claims against others
  - (c) Motor vehicle accidents

NOTE: Reporting injuries to employees shall be in accordance with the Bell System Safety Results Plan (E5860) and Section 010-100-900SW.

- 1.02 This section is reissued to incorporate the Claims organization in the standard reporting and investigating process. In addition, procedures for handling damage to Company property has been added.
- 1.03 It is the responsibility of a department to report accidents that occur in connection with their work as outlined in paragraph 1.01 to their local Claims office. A claims representative is available 24 hours a day. (Damage by employees to Company property is not to be reported to the Claims office.)
- 1.04 The Claims office is responsible for the investigation of the damage/accident, except in those cases where the department may be requested to assist or as directed in this practice.

NOTE: Any damage/accident involving a Company employee shall be investigated with respect to prescribed work procedures. The employee's immediate supervisor is responsible for this investigation.

- 1.05 Damage to Company property as a result of an act of God, should not be reported to the Claims office. However, if the amount of repair and replacement exceeds two million dollars, contact the Staff Manager-Insurance located in the GHQ Security Organization.
- 1.06 The Claims office investigates civil cases only. Criminal cases of damage should be referred to the Security office. Time and material involved in the repair should be documented by the in-charge supervisor for possible billing purposes.

- 1.07 The Claims office is responsible for notifying and coordinating with the Legal department.
- 1.08 If our employees are contacted by insurance investigators or attorneys, such persons shall be referred to the Claims office for answers to their inquiries.
- 1.09 Inquiries from the public and the press shall be referred to the District Manager-Community Relations.
- 1.10 The Claims manager in charge of
  the investigation should furnish
  the District Manager-Community Relations
  with the information needed to answer such
  inquiries. If there is any doubt as to
  what information should be released, the
  Legal Department should be consulted.
- 2. RESPONSIBILITY/INVESTIGATION AT

  SCENE OF ACCIDENT (INCLUDING MOTOR VEHICLE)
- 2.01 If an employee is involved in an accident or is present when one occurs, he or she shall:
  - (a) Care for the injured.
    - (1) Render first aid.
    - (2) Obtain the nearest physician when there is serious injury and the injured party cannot give instructions regarding his or her care.
    - (3) Arrange for ambulance service if necessary.

- (4) If ambulance service is not available, use judgement subject to physician's advice, in having an injured person moved to a location where further treatment can be administered.
- (b) Notify his or her supervisor.
- (c) Make no statements or comments to the other parties or the public as to who is responsible. If questioned by the police, the employee shall restrict his answers to the facts and make no admission of any law violations.
- (d) Listen carefully to any statements made by the parties or eye witnesses as to how the accident occurred and who is to blame. Record such statements and get name/s if at all possible.
- 2.02 It is vitally important to begin the investigation immediately, before evidence is disturbed and witnesses have scattered. To this end, the supervisor receiving the report of an accident or claim must notify the Claims office before leaving for the accident scene.
- 2.03 The supervisor on arrival at the scene shall find out what action the employee has already taken and begin an immediate investigation. The supervisor should not make comments regarding liability.
- 2.04 A Claims investigator may or may not be dispatched to the accident location. The supervisor should not wait for the investigator, but rather, begin with the investigation immediately. If and when the investigator arrives, there should be a clear understanding of how the investigative duties are to be shared.

- 2.05 Photographs should be taken of damaged vehicles, both Company and non-company. They should include views from all angles to display the extent of damage.
- 2.06 The importance of obtaining the names and addresses of any witnesses present at the scene must be emphasized. Most persons do not want to become involved and will leave without volunteering their identity or what they saw, causing it to be impossible or very difficult to locate them at a later date. Be sure all witnesses making a written statement, or agreeing to a written statement, sign or initial the statement.
- 2.07 Some of the things that should be done in the basic investigation are:
  - (a) Obtain names, ages, addresses and written statements from all the <u>participants</u> including Company employees.
  - (b) Endeavor to find out whether there is any insurance coverage and if so, the company, the type and limits.
  - (c) Get all possible information on injuries to non-employees, including name of the treating physician (who should be interviewed if possible), hospital taken to, etc.
  - (d) Obtain names, addresses and written statements from all witnesses. In obtaining statements, the supervisor shall not admit any liability on the part of the Company, but should indicate his or her desire to be of help and do the right thing.

- Original witness statements written in longhand should be accompanied by a typed copy. Both are to be furnished to the Claims office.
- (e) If there is a serious personal injury or major property damage, take or arrange for photographs that fully record the overall view as well as close ups of any possible related details. (If anyone else is taking photographs, find out his or her name, address, where he or she works.)
- (f) Analyze the situation from all angles, then write up a description of the accident and what has been discovered in the investigation. State all the facts whether favorable or not.
- 2.08 When a Company vehicle is damaged, two written estimates for the cost of repairs should be obtained before having the vehicle repaired. If cars are operational, estimates are not required.
- 2.09 Both the pictures and the estimates should be forwarded to the Claims office as soon as possible.

FORM SW-6441, MOTOR VEHICLE

2.10

ACCIDENT CHECK LIST (EXHIBIT 1) shall be carried in the glove compartment of all motor vehicles used on Company business. This form gives detailed instructions on what to do in case of a motor vehicle accident. It should be completed at the scene of the accident as quickly

as possible. Information recorded may be used later in preparing Form SW-6033, (Southwestern Bell's Revision of Form E10253), in accordance with the Bell System Safety Results Plan (BSSRP). The completed SW-6441 should be sent to the Claims office with the claim number recorded on the face sheet. (See Exhibit 1A for routing.)

# 2.11 FORM SW-6033 (EXHIBIT 2) CONFIDENTIAL REPORT OF MOTOR VEHICLE ACCIDENT

shall be used to report all Company motor vehicle accidents. Form SW-6033 shall be prepared in accordance with the BSSRP (E5860) and forwarded to the State Safety Organization for computer input. The Claim number should be included in the "Description of the Accident," line 25. See flow chart - (Exhibit 1A) for routing.

2.12 Beginning with the investigation at the scene, and until an accident case is closed, it is the responsibility of the Claims office to maintain proper contact with any party or parties claiming injury or property damage, or with their representatives so as to expedite a reasonable settlement. The Claims office telephone number and claim number should be made available to the claimant in order to assure prompt handling of all inquiries.

NOTE: In cases where an employee of the Company has been injured, the employee's supervisor shall gather information necessary to complete the reports called for in the Bell System Safety Results Plan (E-5860) and Section 010-100-900SW.

NOTE: Claims office is responsible for notifying the Legal Department, as appropriate, and for obtaining releases.

## 3. INVESTIGATION OF ACCIDENTS NOT WITNESSED BY AN EMPLOYEE

- 3.01 Non-employee accidents involving the Company's property may occur and the injured person may be removed from the accident scene without the knowledge of any employee. When notice of such action is received, prompt action should be taken.
- 3.02 When the notice is oral: Complete the appropriate form for your records: SW-1309 (Exhibit 4) or SW-1316a (Exhibit 3). Make no commitments regarding liability and follow the procedures as outlined in Part 4 or Part 5 as appropriate.
- 3.03 When the notice is written:

  Complete the appropriate form
  (SW-1309 or SW-1316a) and follow procedures as outlined in Part 4 or Part 5 as practicable. The written notice, legal papers and letters from attorneys should be forwarded immediately to the Claims office.

### 4. CLAIMS AGAINST THE COMPANY

- 4.01 This practice does not cover service related claims, but instead claims as a result of property damage or bodily injury.
- 4.02 Procedures for handling claims against the company involving Company owned equipment are contained in paragraph 4.08.

- 4.03 The department causing the damage or being alleged to have caused the damage is responsible for inspecting the damage and meeting with the public. This will normally be the supervisor of the employee that caused or allegedly caused the damage. (Therefore, a report received in the Business Office should be referred as stated above and not directly to the Claims office.)
- 4.04 Damage that is "anticipated" in connection with construction activity should be handled and a settlement negotiated by the right of way agent or engineer. Damage that later occurs as a result of daily installation, repair/maintenance of our facilities should be referred to the Claims office.
- 4.05 If there is disagreement regarding liability or if we are liable, the Claim office must be notified.
- 4.06 If the supervisor and the claimant agree upon a settlement of  $\underline{less}$  than \$100:
  - (a) The supervisor will complete Form SW-1316a (Exhibit 3), call the Claims Office and provide them with the information on Form SW-1316a. The Claims office will then assign a claim number which the supervisor should enter in the appropriate space on the SW-1316a.
  - (b) One copy of the SW-1316a is given to the claimant with instructions to call the Claims office direct if there are further questions. Calls may be collect when appropriate. It is important that the claimant refer to the claim number when calling.

- (c) The Claims office will forward a check within 48 hours, for the agreed upon amount directly to the claimant. A release will be obtained by the Claims office.
- (d) The supervisor will keep a copy of the SW-1316a for at least 90 days.
- 4.07 If the supervisor and the claimant cannot agree upon a settlement or if it is determined the settlement amount will exceed \$100:
  - (a) The supervisor will call the Claims office and provide them with the information concerning the claim, including that documented on the SW-1316a. The claim number should be entered on the SW-1316a.
  - (b) The Claims office will then assume responsibility for settlement.
  - (c) The supervisor will inform the claimant that a claim investigator will contact him within 48 hours regarding the claim. One copy of the SW-1316a is left with the claimant with instructions provided in 4.06 (b).
- 4.08 The following paragraphs deal with the special problems presented in investigating claims involving electrical shock, line noise injuries and fire damage claims when allegedly caused by Company owned equipment.

- 4.09 Telephone plant is designed to protect the user from unusual or harmful voltage or current amplitudes. However, occasionally a telephone user complains of a painful shock, loud noise to the ear or damages to property. When such an injury or damage is reported, the supervisor shall immediately notify (by telephone) the Claims office. The department supervisor and Claims will immediately initiate a complete investigation. The general instructions that follow are given with the understanding that close coordination with the Claims investigator is required in each case.
- 4.10 Whenever an ear injury claim is reported, either electrical or acoustical, an immediate inspection of the plant involved shall be made. It is of first importance to establish the conditions of all the plant in the line circuit at the time of the alleged accident and whether such conditions depart in any respect from standard practice. If conditions were not standard, it is necessary to determine if the departure could have had a bearing upon the alleged accident. Almost every electrical shock injury results from the claimant's receiving a high current from some outside source which goes to ground through the telephone instrument. Consequently, in making an inspection of the premises, look for evidence of lightning and try to trace its path. Take or arrange for photographs,

- in color if possible. Photograph the phone installation and any evidence found of a lightning path.
- is claimed to have been caused by a short of foreign current in telephone equipment, the same procedures should be followed to check out the line and equipment as are suggested for ear injury claims.

  The equipment allegedly causing the damage shall be preserved.
- 4.12 Inspection of the installation shall include the set, cord, protector, ground connection and all wiring. In making the inspection, remove the receiver caps, transmitter caps, ringer housings and connecting block covers. Look for burned wires and loose connections. Examine the receiver and transmitter caps for smudges, cracks and pitting. Check the receiver and transmitter units for smudges and physical damage. If the set is equipped with lights, make a thorough inspection of the associated telephone transformer and wiring. Check the cord to see if it is burned in any way. Carefully examine the protector blocks to see if they are smudged or pitted. Inspect the fuses, ascertain what type of pipe the ground is connected to and whether the connection is tight. Measure the resistance of the ground and note the distance between protector and ground clamp.

Make a diagram identifying and locating the Company's plant. Show how close house wiring, station set and cord come to any ground objects, such as pipes and radiators and to all electrical fixtures, wires, outlets, and appliances which were present at the time of the alleged accident. The type of flooring and rug under the set should be noted. Tests should be made to determine whether the line is in working order and the exposed metal parts of the instrument are insulated from the line.

- 4.13 If the alleged accident occurred while the claimant was talking on the telephone, check to see if the other person on the line experienced any trouble. If so, then an inspection shall be made and a diagram prepared for the second station involved. If either party to the conversation is a party line subscriber, check the records of all the parties on the line for trouble reports.
- 4.14 Inspection of the outside plant shall include drop wire, open wire, aerial cable, terminals and protectors back to the central office. Non-standard clearances between the telephone plant and the power line or other foreign circuits should be noted.
- 4.15 All the equipment in the central office involved shall be carefully inspected. This should include heat coils and protector blocks. The inspection in a central office shall also include line insulation and all other tests which are made in a complete inspection of a given line.

- 4.16 Any Company plant found to have been damaged or is not working, is to be removed and replaced. The removed plant should be tagged. The tag should be signed and dated by the person removing it. Also, remove and preserve the protector's carbon blocks because of the possibility of a subsequent high voltage surge. Be very careful in handling and storing the carbon blocks so as not to wipe off any smudge. Normally, the telephone set, damaged or not, should be removed and tagged. If customer resistance is encountered in removing the telephone set, the Claims investigator will consult with Legal for a final decision. The plant protectors and set removed should be stored in an absolutely safe place. It will be necessary to retain such items for various periods of time depending on the applicable Statute of Limitations. The concurrence of the Claims office must be obtained before disposal of equipment involved in an injury or damage claim.
- 4.17 The claimant, the other person on the line if claimant was talking, and any witnesses shall be interviewed and written statements obtained, if possible. Questions that should be answered:
  - (a) What was claimant doing just before the accident?

- (b) Was claimant touching or near to any grounded object or electrical circuit when the accident occurred?
- (c) Was claimant dialing,
   talking or answering?
   (If talking, who to and who placed
   the call?)
- (d) How did the accident happen? Did the claimant drop the telephone?
- (e) Had previous difficulties been experienced with the telephone?
- (f) When was it last used before the trouble? When was it first used afterwards?
- (g) What was the weather like? Any lightning or thunder?
- (h) Did the electric lights or any electrical appliance go off at any time? Size and type of blown fuses?
- (i) What were claimant's injuries?
- (j) How does the claimant feel now?

- (k) Any witnesses to the accident?
  If so, names and addresses.
- (1) Has claimant been to a physician? If so, what is his or her name; what did he or she tell the claimant? What treatment prescribed? Obtain medical authorization.
- (m) Who reported the accident to the Telephone Company?
- 4.18 Obtain a written statement from the Company employee who took the original trouble report. The statement should follow as nearly as possible the conversation that took place between the parties. Also obtain a statement from the maintenance center test desk showing the initial test results, the time of the test and all other pertinent information.
- 4.19 Obtain written statements from any Company employees who have worked on the installation immediately before or after the time of the alleged incident.
- 4.20 Find out if any testing or work was being done on the line in question at the time of the alleged incident, i.e., frame activity cable repair, etc.
- 4.21 Make arrangements to preserve all pertinent Company records so they will not be destroyed pursuant to routine practices.

- 4.22 Obtain weather report for a12 hour period before and a12 hour period after the accident.
- 4.23 Check with power company as to any failure or work being done in the area at the time; or as to any significant non-standard clearances. Make a record of date and name of person contacted.

## 5. COMPANY CLAIMS AGAINST THE PUBLIC (EXCLUDING MOTOR VEHICLES)

- 5.01 This section covers procedures for handling claims that have resulted from damage to property/plant by either the public (known or unknown) or non-employee workmen.
- 5.02 If damage appears to be a result of malicious and/or criminal activity, refer to paragraph 1.06.
- 5.03 Procedures for reporting damage to station equipment that is over \$100 are outlined in paragraphs 5.05 through 5.24. When the damage to station equipment is under \$100, the procedures to follow are outlined in Section 6.
- 5.04 Generally, damage to our drops by <u>residential</u> customers is not to be reported to the Claims office, unless they are repeat offenders or have requested a locate and blatantly ignored the cable locate. Damage to drops by contractors should, however, be reported to the Claims office for handling.

- A. Reporting Procedures:
- 5.05 Each department is responsible for reporting damage to our telephone property/plant facilities for which it has responsiblity.
- 5.06 Even if the responsible party can not be determined or the facts indicate a bill should not be issued, the damage <u>must</u> be reported to the Claims office.
- report the damage to the Claims
  office will be the supervisor that is first
  on the scene and assesses the damage. This
  is usually the supervisor responsible for
  coordinating the repair and is referred to
  in this practice as the in-charge supervisor.
  If an Engineer is the first on the scene
  and/or to receive notification, he/she
  should notify the appropriate supervisor
  who will become the in-charge supervisor
  responsible for notifying the Claims
  office.
- 5.08 On damage cases involving
  either known bodily injury,
  damage to trunk, conduit, toll cable or an
  abnormal service report, the damage will be
  reported immediately to the Claims office.
- 5.09 When the damage does not fall into above paragraph 5.07, the report will be called to the Claims office no later than the end of the next business day.
- 5.10 The in-charge supervisor will obtain available information and facts at the scene surrounding the cause and the party responsible.

- 5.11 Form SW-1309 (Exhibit 4) will be completed by the Claims office in recording the report of damage from information provided by the field. For ease in reporting and gathering claims data, the reporting supervisor may elect to complete the SW-1309 or S-6218A.
- in the Claims office will be assigned a damage claim number. This damage claim number will be entered on time reports, as an ID number on contractor's bills and all other working papers associated with the damage. (See Exhibit 5.) In addition, the damage claim number will be used in future contact with the Claims office regarding the damage.
- 5.13 The in-charge supervisor will supply a case number (or telephone number) if applicable and advise if a routine or plant order is required.
- 5.14 The in-charge supervisor must also advise the other work groups of the damage and assign/obtain the case number, routine or plant order for charging of time and materials.
- 5.15 It is the responsibility of the Claims office to notify the Legal Department if serious injury or a death results.

- B Reporting Time and Material
- 5.16 It is the responsibility of each supervisor involved in repair/replacement work to track the time and material associated with the damage. See Page 2 of the SW-1309 (Exhibit 4) for data to be tracked.
- 5.17 Total time and material, upon completion, will be called to the Claims office by the in-charge supervisor. When more than one work group is involved, each supervisor is responsible for calling the in-charge supervisor with total time and material for their work group. The in-charge supervisor will, in turn, call the Claims office. (On damage to station equipment, the in-charge supervisor must also supply the Claims office with the monetary amount of equipment and material required for repair/replacement.)
- 5.18 In some instances, the initial report of damage to the Claims office will also include time and material involved. In other cases, two calls to the Claims office will be necessary: one to report damage, another to report time and material.
- 5.19 It is the responsibility of the Engineer to track his/her hours involved and include them on the EWO along with the appropriate account code(s). The billing authority number will be the damage claim number received from the supervisor. (See Exhibit 6.)

- 5.20 Upon distribution of the EWO, one copy will be sent to the Claims office.
- 5.21 When contract work is required to complete the repair/replace-ment, the contractor's name, telephone number, account code and work to be done shall be called to the Claims office by the in-charge supervisor.
- 5.22 In addition to the case number, the supervisor must advise the contractor of a separate billing to be prepared and the claim number to be located on the billing in order to identify the repairs. The contractor must also be advised that billing for repair must be received no later than two days after the contractor has completed the repair work.
- 5.23 Upon receipt of the contractor's bill, a copy will be forwarded to the Claims office. (The responsibility for payment of bills still lies with the appropriate department.) A copy of the billing is required by Claims as supportive data to the public and possible future litigation.
- 5.24 When the repair/replacement will be delayed more than one month, actual time and material prior to the delay and an estimate of remaining time and material will be reported to the Claims office.

# 6. MALICIOUS DAMAGE TO STATION EQUIPMENT UNDER \$100

- 6.01 If damage exceeds \$100, follow procedures outlined in Section 5 of this practice.
- on a customer report where there is substantial evidence of malicious damage to Telephone Company station equipment by the customer, the details of the case shall be reported by the employee to the Residence Repair Service Bureau or to the Business Installation and Repair Administration Center.
- 6.03 The Manager-Residence Repair or
  Manager-Business Repair will
  review the current customer report and all
  previous reports on that station. If there
  is substantial evidence to justify billing
  the customer for malicious damage, Form SW9121, will be prepared. Form SW-9121 and
  instructions for preparation are shown on
  Exhibit 7.
- 6.04 Form SW-9121 shall be distributed as follows:
  - (a) Forward the original copy
     (white) to the local Residence
     Service Center or Business Service
     Center (RSC/BSC).
  - (b) Retain the second copy (blue) in the RSC/BSC for a file copy.

- 6.05 The RSC/BSC shall notify the I/M Supervisor of the action taken in regards to billing the customer for the malicious damage.
- 6.06 In all cases where Form SW-9121 has been prepared, a notation shall be entered on the LMOS line record.
- 6.07 A copy of the customer record shall be attached to the file copy of Form SW-9121.
- 6.08 Form SW-9121 must be retained for a period of three years.
- 6.09 If the abuse of Telephone Company equipment continues, consideration should be given to recommending suspension of service.

### EXHIBIT 1A

### FLOW CHART

	DUE	5TH DAY FOLLOWING ACCIDENT	3RD DAY FOLLOWING ACCIDENT 2ND DAY FOLLOWING ACCIDENT 3RD DAY FOLLOWING ACCIDENT 5TH DAY FOLLOWING ACCIDENT	WHEN OBTAINED WHEN OBTAINED WHEN OBTAINED	
	NON-EMPLOYEE PROPERTY DAMAGE (OVER \$100)			ORIGINATES HERE ORIGINAL 1 COPY 1 COPY	
TYPE OF ACCIDENTS	NON-EMPLOYEE INJURY			ORIGINATES HERE ORIGINAL 1 COPY 1 COPY	
	COMPANY VEHICLE	ORIGINAL	ORIGINATES HERE ORIGINAL 1 COPY 1 COPY 1 COPY	ORIGINATES HERE ORIGINAL 1 COPY 1 COPY	
	DISTRIBUTION	CLAIMS DEPARTMENT	DISTRICT OR 2ND LEVEL CLAIMS DEPARTMENT DIVISION LEVEL SUPERVISOR SECTION HEAD STATE SAFETY ORGANIZATION	DISTRICT OR 2ND LEVEL CLAIMS DEPARTMENT DIVISION LEVEL SUPERVISOR SECTION HEAD	
	REPORTS	SW-6441	CONFIDENTIAL MOTOR VEHICLE ACCIDENT REPORT FORM SW-6033 (SEE NOTE 1)	STATEMENTS OF EMPLOYEES, WITNESSES, INV. REPORT, PHOTOGRAPHS, SKETCHES, ETC.	

## FORM SW 6441

1.	INSTRUCTIONS		<ol> <li>Call ambulance or physician for serious injuries.</li> <li>Make no admissions. Don't take any blame for the accident.</li> </ol>	4. Be courteous. Do not argue.	5. Telephone your supervisor or if another employee is with you, ask him to do it.	<ol> <li>Call police to investigate, stick to the facts and don't agree you were guilty of any law violation.</li> </ol>	7. Do not move vehicle unless necessary.	8. If you feel all right, fill out this check list and give it to your supervisor as soon as he reaches the scene.	9. It is most important for you to immediately get the names of any witnesses, as many people do not want to get involved and will leave the scene without leaving their names.	DATE OF ACCIDENT	CITY	COMPANY DRIVER	OTHER DRIVER		Page 1
	· · · · · · · · · · · · · · · · · · ·	,								 					7
	Form SW 6441 Rev. 4/R2			MOTOR VEHICLE ACCIDENT CHECK LIST		<b>(</b> (	<b>1</b>	A	SOUTHWESTERN BELL TELEPHONE COMPANY		(CONFIDENTIAL DATA PREPARED IN ANTICIPATION OF LITIGATION FOR LEGAL DEPARTMENT)		Official File Copy, unless reproduced	Retain 6 years until	Cover

EXHIBIT 1 (Con't)

FORM SW 6441

3.  WITNESSES AT SCENE It is very important to get the names of everybody who, saw the accident.	Name Address Address Location at scene Remarks	Name Age Address Tel.  Location at scene  Name Age Address Tel.  Location at scene Remarks	1. GET NAMES OF WITNESSES	Page 3
2.  It is very important to get the names of everybody who saw the accident.	Name Address Tel.  Location at scene Remarks	Name Address Address Tel.  Location at scene Age Address Tel.  Location at scene Tel.	1. GET NAMES OF WITNESSES	Page 2

FORM SW 6441

PASSENCEES		oformation for your	x.
alled Employer   Te.l.      Employer   Te.l.   Te.l.   Date	Tel.     Employer     Employer     TELE-NUMBER     By     By     By     Wodel & Year   Body     Waar   State     T NAME AND LICENSE NUMBER     Page 4		PASSENGERS  PASSENGERS  PASSENGERS  PASSENGERS
Tel.   Address   Seat bells installed   Remarks   Seat bells installed   Britanian   Bri	Tel.   Addres   Seat belts installed   Remarks   Seat belts installed   Remarks   Tell-NUMBER   Seat belts installed   By		W
Address Seat belts installed Seat belts installed Remarks   Physician      Th.L.NUMBER   Physician	Employer   Exp. Date   Seat beits installed   Remarks   Employer   Tillen Nubber   Farente   Farente   Farente   Employer   Farente   Employer   Farente   Employer   Farente   Employer   Employer		Age
Employer   Remarks   Remarks	Employer		Tel.
Remarks  Injuries  Taken to Physician  Wehicle No:  Whose & Year Body  Node & Year Body  Node & Year Body  Sea to belts installed  Address Sea to belts installed  Injuries  Taken to By  Page 4  Page 5	Remarks  Injuries  Injuries  Taken to Physician  Webited No :  Name Address  Address  Seat belts installed  Name Address  Seat belts installed  Injuries  Traken to Page 4  Page 4  Page 5		
Injuries  Taken to Physician  Wehicle No  Name Address  Address Seat belts installed  Remarks Injuries  Injuries By  Taken to By  Page 4  Page 4  Page 5	TELL-NUMBER   Injuries   Taken to   Physician   Vehicle No.     Physician   Name   Address   Seat belts installed     Physician     Physician     Physician     Physician     Physician       Page 5   Page 5	Remarks	
Injuries	Injuries   Taken to   Physician	TELE-NUMBER	
Injuries   Taken to   Bryanistan   Bryanis	Taken to		
Taken to   By	Taken to   By   Physician   Vehicle No.     Name   Name		
Physician  Vehicle No  By Address  Address  Address  Seat belts installed  Remarks  State  Injuries  Injuries  Taken to  Page 4  Page 5	Physician  Vehicle No		
Name Address Seat belts installed Body Address Seat belts installed By Take Taken to Page 5	Vehicle No	Physicia	
Name  By  Address Seat belts installed  Remarks  Remarks  Injuries  Injuries  Taken to  Page 4  Page 5	Address Seat belts installed Body Remarks State I Type Injuries Taken to Page 4  Page 4  By dddress Seat belts installed By By Bage 5	Being worn	
Address Seat belts installed Remarks Seat belts installed Remarks State Body Remarks Injuries Injuries Taken to Page 4 Page 5	Address Seat belts installed Seat belts installed Remarks State Injuries Page 4  Page 4  Address Seat belts installed Body Remarks  Remarks Seat belts installed Body Remarks  Taken to By-Physician 3. GET NAMES OF PASSENGE Page 5		Age
Seat belts installed  Remarks  Type  Year  Year  Year  Year  Year  Year  Body  Remarks  Injuries  Injuries  Taken to  Page 4  Page 5	Seat belts installed    Model & Year		Tel.
Model & Year Body Year State Injuries Injuries  NAME AND LICENSE NUMBER  Page 4  Remarks  Injuries  State Body  Injuries  Injuries  State Body  Injuries  In	Model & Year Body Remarks  Year State Injuries  Tof Repair \$ Taken to Page 4		
Injuries linjuries Taken to Taken to Page 4	r of Repair \$ Injuries Taken to NAME AND LICENSE NUMBER 3.	Body Type	
Injuries — Taken to — Taken to — Physician — 3.	Injuries Taken to Taken to Page 4	State	
Injuries  Taken to  Taken to  Page 4  Page 4	Injuries  Taken to  Taken to  Page 4		
NAME AND LICENSE NUMBER  Physician  3.	NAME AND LICENSE NUMBER  Physician  3.	t of Repair \$	
NAME AND LICENSE NUMBER  3.  Page 4	NAME AND LICENSE NUMBER  3.  Page 4		
3.	3.	NAME AND LICENSE NUMBER	u u
4 Page	4 Page		

Page 16

FORM SW 6441

7.	FACTS ABOUT THE ACCIDENT	Feet NUMBER OF LANES  Other  Other	Other Feet LF — RF — LR — RR —  IF INTERSECTION COLLISION, HOW FAR FROM THE INTERSECTION DID  YOU SEE OTHER VEHICLE? — Feet  4. CHECK THESE POINTS	Page 7
.9	Talk to each passenger in the other vehicle. Get this information and ask them what they saw.  Vehicle No	Remarks Injuries Taken to Physician Vehicle No. : Age Address Address Remarks	Injuries By	Page 6

FORM SW 6441

PY ARROW  BY ARROW	INDICATE ON THIS DIA- GRAM WHAT HAPPENED. Use one of these outlines to sketch the scene of your accident, writing in street or highway names or numbers. MARK YOUR VEHICLE NO. 1OTHER NO. 2. SHOW POSITIONS PRIOR TO AND AFTER COLLISION. LOCATE WHERE WITNESSES WERE	5. DRAW A SKETCH Page 9
OBSTRUCTION TO VISION: You Other  Other  TICKETS: You For Other  Other  EMARKS BY INVESTIGATING OFFICER:	NAME AND ADDRESS OF ANYONE TAKING PICTURES AT SCENE:  PROPERTY DAMAGE OTHER THAN VEHICLES:  OTHER COMPANY PERSONNEL AT SCENE:  Your name:  YOUR VEHICLE (No. 1)  YOUR VEHICLE (No. 1)  YOUR VEHICLE (No. 1)  YOUR VEHICLE (No. 1)  Reason  Place of Reporting:  Immediate Supervisor:  Co. Vehicle type  MV. No.  Describe Vehicle Damage:  Approx. Speed	Estimated Cost of Repair \$

FORM SW 6441

11.	DESCRIPTION CONTINUED
10.	DESCRIPTION OF ACCIDENT  You may want to do this when you get back to the office but do it as soon as you can before you forget the details.  Bate:  City:  DESCRIBE IN YOUR OWN WORDS HOW THE ACCIDENT HAPPENED, GIVE ALL THE FACTS, FAVORABLE AND UNFAVORABLE.  6. DESCRIBE THE ACCIDENT

#### FORM SW-6033




EXHIBIT 2
(Con't)
SW-6033 (Page 2)

	INJURIES	CLAIMED OT	HER THAN DRIVERS (Pre	epare Separate Form K15 For Eac	h Employee Requiring Medical A	Aid )
			□ MA	ALE		C MALE
18	NAME PRINT FULL	NAME		MALE 18. NAME	PRINT FULL NAME	() FEMALE
	PRINT FULL	NAME			PRINT FULL NAME	
10	RESIDENCE			10 RESIDENCE		
13						
20.	NATURE AND EXTENT			20. NATURE AND EX	TENT	
	OF INJURIES CLAIMED			OF INJURIES CLA	NIMED	
21	MEDICAL FAC. WHERE TAKEN			21 MEDICAL FAC W	HERE TAKEN	
	□ IN VEHICLE "A" □		☐ PEDESTRIAN	22.  in Vehicle "		PEDESTRIAN
	(COMPANY)			(COMPANY)		
	(OTHER)	ENGER	C OTHER	IN VEHICLE " (OTHER)	B" C PASSENGER	C OTHER
23.	TRAFFIC VIOLATION CHARGES		AGAINST WHOM		INVESTIGATING OFFICER IN BADGE III, TOWN	NAME,
24	WITNESSES: NAME		ADDRESS		TEL. NO	
	WINESSES. MAINE				100	
25	DESCRIPTION OF ACCIDENT: (Note:	If Additional S	pace Is Required, Use Ar	n Attachment - Show: "See Attacl	nment")	
26	Sketch The Scene Of The Accident, W	riting In Stree	it Or Highway Names Or	Numbers And Points Of Reference	e Identify Vehicles "A" And "B"	. If Additional Space is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	driting In Stree	it Or Highway Names Or IICATE NORTH BY ARRO	Numbers And Points Of Referenc W.	e. Identify Vehicles "A" And "B"	. If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	driting In Stree	nt Or Highway Names Or NICATE NORTH BY ARRO	Numbers And Points Of Referenc W.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	driting In Stree	it Or Highway Names Or IICATE NORTH BY ARRO	Numbers And Points Of Referenc DW.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	Vriting In Stree	it Or Highway Names Or ICATE:NORTH BY ARRO	Numbers And Points Of Referenc DW.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	triting In Strees	it Or Highway Names Or ICATE NORTH BY ARRO	Numbers And Points Of Referenc DW.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	triting In Strees	nt Or Highway Names Or NCATE NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment — Show: "See Atta	Vitting In Stree	nt Or Highway Names Or ICATE NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	Vitting In Stree	nt Or Highway Names Or NCATE NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	driting In Stree	it Or Highway Names Or NCATE: NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	driting In Stree	it Or Highway Names Or NCATE NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	. If Additional Space is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	riting In Stree	it Or Highway Names Or ИСАТЕ:NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	riting In Stree	it Or Highway Names Or ИСАТЕ:NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	. If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	riting In Stree	it Or Highway Names Or ИСАТЕ: NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	. If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	riting In Stree	it Or Highway Names Or ИСАТЕ:NORTH BY ARRO	Numbers And Points Of Referenc DW	e Identify Vehicles "A" And "B"	. If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	riting In Stree	it Or Highway Names Or ИСАТЕ: NORTH BY ARRO	Numbers And Points Of Referenc DW.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment— Show: "See Atta	riting In Stree	et Or Highway Names Or PICATE NORTH BY ARRO	Numbers And Points Of Referenc JW.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment— Show: "See Atta	riting In Stree	et Or Highway Names Or PICATE NORTH BY ARRO	Numbers And Points Of Referenc )W.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment— Show: "See Atta	riting In Stree	et Or Highway Names Or PICATE: NORTH BY ARRO	Numbers And Points Of Referenc )W.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment— Show: "See Atta	Priting In Stree	et Or Highway Names Or PICATE: NORTH BY ARRO	Numbers And Points Of Referenc )W.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
26	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta	riting In Stree	et Or Highway Names Or PICATE NORTH BY ARRO	Numbers And Points Of Referenc )W.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
	Sketch The Scene Of The Accident, W Use An Attachment—Show: "See Atta  DRIVER SUPERVISOR'S NAME	riting In Stree	et Or Highway Names Or PICATE NORTH BY ARRO	)W.	e Identify Vehicles "A" And "B"	: If Additional Space Is Required,
	Use An Attachment—Show: "See Atta	driting In Stree	et Or Highway Names Or PICATE NORTH BY ARRO	)W.		. If Additional Space Is Required,
27.	Use An Attachment—Show: "See Atta	achment". IND	nt Or Highway Names Or ICATE NORTH BY ARRO	YELEF		If Additional Space Is Required,
27.	DRIVER SUPERVISOR'S NAME  PERSONS FURNISHING INFORMATION	achment". IND	nt Or Highway Names Or DICATE: NORTH BY ARRO	YELEF	PHONE NUMBER	. If Additional Space Is Required,
27. 28.	DRIVER SUPERVISOR'S NAME  PERSONS FURNISHING INFORMATIC  PERSON PREPARING FORM	ochment". IND	ICATE. NORTH BY ARRO	TELEF	PHONE NUMBER	
27. 28.	DRIVER SUPERVISOR'S NAME  PERSONS FURNISHING INFORMATION	achment". IND	ICATE. NORTH BY ARRO	YELEF	PHONE NUMBER	If Additional Space is Required,

## SW-1316 a

outhwestern Bell	CLAIM REPORT		<b>SW-1316a</b> (5-81)
Customer Name	Address		Tel. No.
Your claim #has be	een referred to our Claim Offic	ce. If you have any qu	estions,
please call			
Date of Damage:			
Description of Damage:			
Claimant			Pate
Supervisor	Title	Tel. No.	Date
Responsibility Code Originat		Loc. C	nde
Name of Technician		Acct. C	Code

## SW-1309

(CONFIDENTIAL DATA PREPARED IN ANTICIPATION	CLAIM NO.:	<del></del>
OF LITIGATION FOR LEGAL DEPARTMENT)	CASE NO.:	
DATE OF REPORT:	ROUTINE ORDER:   Yes	
REPORT BY:	PLANT ORDER:   Yes	
	(Plant Order Iss'd by Eng.:  Yes)	,
RESPONSIBILITY CODE	LOC CODE TEL. NO	
TYPE OF PLANT DAMAGE:	(If Cable:   Exchange   Toll	□ Trunk
☐ Aerial ☐ Buried ☐ Underground ☐ Other		)
DESCRIPTION OF DAMAGE:		
		_
DATE AND TIME OCCURRED:	AMPM	
LOCATION:		
POLICE REPORT: (7) Yes (1) No (7) Unknown	Wire Center City  CITATION ISSUED: 11 Yes 11 No	County
POLICE REPORT #		
PERSON CAUSING DAMAGE:		
Name	Address City	Tel No
DID THIS PERSON ADMIT CAUSING DAMAGE:	Tes No	
EMPLOYER:	Address	Tel No
IF EMPLOYER WAS SUBCONTRACTOR, NAME AND	ADDRESS OF PRIMARY CONTRACTOR:	
Name	Address	Tel No
HOW HAPPENED:		
,		
EQUIPMENT USED:		
IS BILLING RECOMMENDED?: ☐ Yes ☐ No,	EXPLAIN	
IS BILLING RECOMMENDED?:	EXPLAIN	
UTILITY CLAIM NUMBERWAS REQUEST MADE TO LOCATE TEL PLANT?	Yes, on Date, Irme No	
UTILITY CLAIM NUMBER	Yes, on Date , Inne No	
UTILITY CLAIM NUMBER	Yes, on Date, Irme No	
UTILITY CLAIM NUMBER	Yes, on	
UTILITY CLAIM NUMBER	Yes, on ,	
UTILITY CLAIM NUMBER	Yes, on ,	. Yes
UTILITY CLAIM NUMBER	Yes, on , No No Yes No Yes No e): YES, IS INJURY SERIOUS OR RESULT IN DEATH?	Yes
UTILITY CLAIM NUMBER	Yes, on, No No Yes No Yes No e): YES, IS INJURY SERIOUS OR RESULT IN DEATH? ESTIMATED DATE OF COMPLETION: Yes \[ \text{No} \] No	Yes

## EXHIBIT 4 (Cont.)

## FORM SW-1309 (Page 2)

uthwestern Bell REPAIR/REPLAC	SEMENT W	ORK DON	E:			Form SW- Pa (
Telco Labor		Date	Case, R.O., P.O. Tel.#	Emply. Name	Hours Reg. O.T	. Account
Cable Repair Te	ech.	<del></del>				
	-					
	-					
OSP Technicia	n					
		····				
Cable Calinia	Tooh					
Cable Splicing	recn					
Other						
	by Claims)					
Major Material (Items reporte	d on 6211)		Description		Quantity	Account
Pole	Height:			Class:		
Pole Removed	Height:					
Down Guy						
Anchor						
Crossarm						
Terminal						
Load Coil						
Drop Wire						
Open Wire						
Cable CableRestoralKi	Code: t		Pair:	Gauge:		
Encapsulant				Grams		
Conduit						
Closure						
Other						
Pole Stubbed Te	mporarily:	□ Yes	□No			
Report Taken By:				Assigned To:		
		Claim Cl		Maaigileu IV.		

FORM SW-6218A FORM SW-6217B

1 2 3 4	JOB/R			ILY: PI	FRC. (ACCT)	U N MS	FUNC	CODE EC	CREW		RC-C	LOC. CODE	
3 4	JOB/R	С-С/МО	OVIMS		FRC. (ACCT)	UN MS	FUNC	CODE EC	мем вс				
3 4				_		- 1			IND. GP	SX TIM	ΙE	LOC. CODE	CREW NO.
3 4							F						
`							F						
- 1							F						
5							F						
6		<u></u>					F					- A	
7 EN.	TER [	)AMA	16E	CLAI	n No	LMBE	R 44	RE ON	1 EACH	1 SW-	-681	7 Asso	CIATED
9 0///	4 THE	DHI	MHGE	CZAZ	71			-					
10								>	CLAIR	1 4			
EXC	EP HOL	$\overline{}$	EXCEP	ноп		XCEP	HOURS	5/\$ EXCEF			EP H	OURS/\$ E	XCEP HOUR
E	ACCI		E ONLY		E			E		E		E	
LAB.	GRP				СОР	RRECT.				APP F	ROVED.		
RC-0	1	1 1		!									
					j '''	L E				TITL	E		
								<del></del>		-			
		NO.			SA	1   1							,
ı	ž	8			] [ ] [			2 8	178		HUS		Q Q Q
į	W   o	PLATOR		ž	FWORK		Ş	2/2					N BOR COM
	P REF. T			TITLE	SIGNS			AMAGE OLI U EACH GE DAMAGE C	01-		5		× ×
Ž		1 1	.	NAME & TITLE PLANT MARKED STAKES	PAINTING WARNING SIGNS EST. DURATION (		v Es	AMAGE M. EACH DAMAG	05	AS SE	<u>DĘPT.</u> MOTOR VEHICLE TOOLS, EQUIPMENT	TOR .	YES
Sign	ASSUGN.				<u>a`</u> ≱ w	4		\$ W \$ \$	*	ACCT. CODE ACCT. HOURS	OR V	CONTRACTOR	
N ASSIGN	TIME ASSIGN.			5				2 . 12		8 5	5 8	8 =	
TION ASSIGN	TIME ASSIGN FIELD NAME			CONTACT ON JOB  VES NO				707	300	M P P P P P P P P P P P P P P P P P P P	l i	CONTR	PREPARED
OCATION ASSIGN	TIME ASSIGN			5			PHEPARED	John	CLAIM.	CRFM PLAN	HRS.	MTO	W6889 PREPARED
LE LOCATION ASSIGNI	DATE TIME ASSIGN & TIME   FIELO NAME   CONTACT   CONTACT			CONTACT ON JOS YES NO	000		-6218A) PREPARED	John	CLAIM #		l i	0TH	ORT (SWGGES) PREPARED NUMBER
CABLE LOCATION ASSIGNME	MO. DATE TIME ASSIGN NAME COMMITMENT DATE & TIME CONTACT  CONTACT	LOCATION OF JOB:		5	EXCAV. IN COMPLICT WITH PLT.  LOC. INFO. GIVEN TO CONTACT  FOLLOW UP VISIT REQUIRED	COMMENTS OF ABOVE	DSP DAMAGE REPORT (3-5218A) PREPARED	(10/2)	*CLAIM	CHEMP WORK CODE  OF TASKS COMP  OF TASKS COMP  LOST TIME HOURS INCURRED.	l i	TEST DESK  CENTRAL OFFICE  OTH  EXPLANATION OF ABOVE	AD PLANT CORDITION REPORT (SWEEDS) PREPARED WINDER

Southwestern Bell Joint Practice 44  Division ATRAINS AS  AMBILITE O'BAT AND NUMBER DC# / 01 - 1015 - pt/// PRODUCT Reference AIR From ABSTRAINS ABSTRAINS ABSTRAINS AD 120  Cent of Removes 14	E ROUTII AUTHORIZATION - Detrict  Tax District(s) EB 107  Week Units	OST ORDER NE ORDER - NUMBER 61234  Exemple 62, and or Tabli Materiana Riche 1, RECOMMENDED	form Sh didde (Rev. 6-76)
Division ATKANSAS  AMDELISTIC O'IBNI and Number DC# / 0.1 - 10.15 - 10.10  Receive Returners AIR Print Age. 1-38  Group Addresses 120  Cost of Namburs 14	AUTHORIZATION - Destrict Tax District(s) EB 107 Week Units	- NUMBER 61234  Exchange Co., Area or Tabli Mexicronus Rope	E-3195
ATKANS 25  AMPLIATE O'PAT AND NUMBER  DC# / 0.1 - 10.15 - 1///  Record Reference AFR Frint  AR. 1 - 38  Green Additional 120  Cent of Remove 14	Tox Dirmet(s) EB 107  WORL UNITS	Hope	E-3195
DC# / 01 - 1015- m/l/   Record Reterance   AiR From     Ae. 1 - 38     Green   Addresse   120     Cost of hamber   14	EB 107		
Ac. 1-38   Green Additional   120   Cent of Remove   14		Tide	Charte
Cen of Nembra: 14	Pt. Spt. Other Total	Tree	<u> </u>
Nombus: 14	35 29 10 74	Proj. Eng., Eng. Proj. Suov., Proj. Amer., A	uras, Proj. Surv. Date
Grow 134	Service 2-10-79	Engineering Supervisor	D==
Pient	Work Competed	Area Areh, Eng. Opr. Mgr	Sare
Florinac 47	Completes:	Division Psent Manager	Eart
Salvege	Proport No By	Engineering Manager	200
Maintenance	No By	Chie' Émpines	Den
F.C.C. Authorization Required		mental i	
"YES" Requires Keep Con Or Eng. Hours:	Acct.Code;		
Pole being To-		ete: Company, to clear	
•			

Southwestern Bell			SW-9121 (Rev. 7-82)
<b>(</b> ) ************************************	REPORT OF MALICIO	DUS DAMAGE (UNDER \$100)	
J.P. 109 Retention Period-3 Years	TO TELEPHONE COM	IPANY STATION EQUIPMENT	
TEL. OR CKT. NO		DATE	
NAME OF CUSTOMER			
ADDRESS OR LOCATION OF DAMAGE			
DESCRIPTION OF DAMAG	GE AND BILLING JUSTIFICA	ATION	
-			
STATION EQUIPMENT RE	EPLACED		
FORM SW-6311 REQUIRED		MMENDATION	
REPAIR HOURS		ACCOUNT CODE TO CREDIT	
☐ BILL FOR MALICIOUS	S DAMAGE	AMOUNT	
☐ BILL EQUIVALENT SE	ERVICE CONNECTION CHAI	RGE	
☐ BILL EQUIVALENT SE ☐ SUSPEND SERVICE	ERVICE CONNECTION CHAI	RGE	
	ERVICE CONNECTION CHAI	RGE	
☐ SUSPEND SERVICE		TITLE	TEL. NO.
☐ SUSPEND SERVICE  APPROVED BY:		TITLE	TEL. NO.
☐ SUSPEND SERVICE  APPROVED BY:		TITLE	TEL. NO.
☐ SUSPEND SERVICE  APPROVED BY:		TITLE	TEL. NO.
SUSPEND SERVICE  APPROVED BY:  DATE  ACTION TAKEN		TITLE	
☐ SUSPEND SERVICE  APPROVED BY:  DATE  ACTION TAKEN  ☐ MALICIOUS D	RSC DAMAGE CHARGES	TITLE C/BSC USE	
☐ SUSPEND SERVICE  APPROVED BY:  DATE  ACTION TAKEN  ☐ MALICIOUS D  ☐ EQUIVALENT	RSC DAMAGE CHARGES	TITLE  C/BSC USE  AMOUNT	
☐ SUSPEND SERVICE  APPROVED BY:  DATE  ACTION TAKEN  ☐ MALICIOUS D  ☐ EQUIVALENT	RSC DAMAGE CHARGES T SERVICE CONNECTION CH (EXPLAIN BELOW)	TITLE  C/BSC USE  AMOUNT	
☐ SUSPEND SERVICE  APPROVED BY:  DATE  ACTION TAKEN  ☐ MALICIOUS D  ☐ EQUIVALENT	RSC DAMAGE CHARGES T SERVICE CONNECTION CH (EXPLAIN BELOW)	TITLE  CIBSC USE  AMOUNT	
☐ SUSPEND SERVICE  APPROVED BY:  DATE  ACTION TAKEN  ☐ MALICIOUS D  ☐ EQUIVALENT  ☐ NO BILLING	RSC DAMAGE CHARGES T SERVICE CONNECTION CH (EXPLAIN BELOW)	TITLE  C/BSC USE  AMOUNT HARGE AMOUNT	

(Con't)

SW-9121

#### PREPARATION OF FORM SW-9121

The Residence Repair Service Bureau/Business Installation and Repair Administration Center shall prepare two copies of Form SW-9121 as follows:

- a) Telephone or Circuit No. Enter the telephone or circuit number to be billed for damages.
- b)  $\frac{\text{Date}}{\text{repair}}$  Enter the month, day and year of premises visit to
- c) Name of Customer Enter the name of the customer who is to be billed for damages.
- d) Location of Damage Enter number, street and city where damage occurred.
- e) Description of Damage and Justification for Billing Enter descriptive information of damage and evidence to justify billing.

  NOTE: Indicate if prior trouble with malicious damage.
- f) Station Apparatus Replaced Enter station equipment replaced.

  NOTE: CUSTOMER MAY ONLY BE BILLED FOR EQUIPMENT AND MATERIAL REPLACED. NORMALLY MISCELLANEOUS STATION CONNECTION MATERIAL SHOULD NOT BE INCLUDED.
- g) Form SW-6311 Required Check yes or no.

I/M Recommendations

- h) Repair Hours Enter elapsed time from the time the exchange repair technician was dispatched to the time the trouble was cleared. Record in hours and tenths of hours. For example, one hour and thirty minutes would be recorded as 1.5 hours.
- i) Account Code to Credit Enter I/M account code used by exchange repair technician.
- j) <u>Bill for Malicious Damage</u> Check if repair hours and station equipment are required to correct damage. Enter material, labor and total cost. These figures are obtained from the District Manager-Design Services' office.
- k) Bill Equivalent Service Completion Charge Check if repair hours only are required to correct damage. Recommend actual billing if repair time is excessive.
- 1) Recommend Service Suspension Check in cases where malicious damage has been excessive.
- m) Approved By The supervisor recommending billing for malicious damage shall place his signature, title and telephone number in spaces provided.

RSC/BSC Use

n) Residence Service Center/Business Service Center Use - This space is provided for the RSC/BSC Manager's use to indicate if billing is to be initiated or not.