

**NUMERICAL INDEX — DIVISION 032**

**CAPACITORS, CONNECTORS, CORDS, CORD REELS, DIODES, DROPS,  
 JACKS, KEYS, LAMPS, PLUGS, RESISTORS, SIGNALS, SOCKETS,  
 THERMISTORS, TRANSISTORS, AND VARISTORS**

**1. GENERAL**

**1.01** This section provides an index of System-issued sections in Division 032.

**1.02** This section reverted to Issue 1 in August, 1981. Prior to that date there had been 99 issues of the section.

**1.03** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.

**1.04** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.

**1.05** A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.

**1.06** "Add" is the abbreviation for Addendum.

**2. LAYERS**

**2.01** This division is arranged in layers as follows:

- 032-0 Indexes and Equipment Test Lists
  - 1 Capacitors, Diodes, Resistors, Thermistors, Transistors, and Varistors
  - 3 Cords, Cord Reels, Drops, and Noncoded Connectors, Jacks, Plugs, and Sockets
  - 5 Lamps, Plugs, Signals, and Sockets
  - 7 Keys
  - 9 Drops, Keys, and Signals — Condensed Sections

**3. INDEX**

| Section Number  | Issue | Subject  |
|---|-------|--|
| <b>032-0 INDEXES AND EQUIPMENT TEST LISTS</b>                                       |       |  |
| ● ♠ 032-000-000   | 8     | Numerical Index — Division 032 — Capacitors, Connectors, Cords, Cord Reels, Diodes, Drops, Jacks, Keys, Lamps, Plugs, Resistors, Signals, Sockets, Thermistors, Transistors, and Varistors |
| 032-001-011   | 10    | ETL — Electrolytic Capacitors  |
| <b>032-1 CAPACITORS, DIODES, RESISTORS, THERMISTORS, TRANSISTORS, AND VARISTORS</b> |       |  |
| 032-100-101   | 1     | Electrolytic Capacitors — 100 and 101 Types — Description  |
| 032-100-102   | 1     | Description of Circuit Requirement Table for Electrolytic Capacitors   |
| 032-100-301   | 1     | Electrolytic Capacitors — 100 and 101 Types — Method of Operation  |
| 032-100-701   | 1     | Electrolytic Capacitors — 100 and 101 Types — Requirements and Adjusting Procedures  |

| Section Number | Issue | Subject  |
|----------------|-------|--|
| 032-110-501    | 5     | Electrolytic Capacitors — Testing Procedures   |
| 032-110-701    | 8     | Electrolytic Capacitors — Aluminum-Type — Requirements and Procedures  |
| 032-120-101    | 3     | Fixed Capacitors and Fixed Resistors — (KS-SPEC., MIL or JAN, RETMA) — Color Codes and Reference Data                              |
| 032-140-811    | 1     | Resistors — 18- and 19-Type — Procedures for Mounting  |
| 032-150-201    | 2     | Thermistors in PBX Switchboard and Order Turret Trunk Circuits — Installation  |
| 032-160-701    | 2     | Diodes — 400-Type — Current Flow Requirements Using KS-12054 Test Set  |
| 032-170-201    | 2     | Click Reducing Varistors in PBX Switchboard and Order Turret Telephone Circuits — Installation                                     |
| 032-170-501    | 2     | Click Reducing Varistors in Operator Telephone Circuits — Resistance Test  |
| 032-171-501    | 2     | Varistors — Transmission Loss Measurements Using the 12-dB Pad   |
| 032-173-301    | 7     | Testing, Replacing, Handling, Storing, and Shipping Circuit Packs and Semiconductor Devices  |
| 032-174-801    | 1     | Diodes on 835A Networks on J67465 Outgoing Trunk Identification Frames in 4A and 4M Toll Crossbar Offices — Replacement Procedures |
| 032-182-101    | 1     | Telephone Memory Devices   |

**032-3 CORDS, CORD REELS, DROPS, AND NONCODED CONNECTORS, JACKS, PLUGS, AND SOCKETS**

|             |   |  |
|-------------|---|--|
| 032-300-101 | 6 | Noncoded Connectors — P-267188, P-47C328, P47C329, and KS-13836 Through KS-14525 — Description |
| 032-300-105 | 1 | Noncoded Connectors — KS-14528 Through KS-16370 — Description                                  |
| 032-300-110 | 1 | Noncoded Connectors — KS-16409 Through KS-19081 — Description                                  |
| 032-300-125 | 1 | Noncoded Connectors — KS-19278 Through KS-19281 — Description                                  |
| 032-300-130 | 1 | Noncoded Connectors — KS-19331 Through KS-19770 — Description                                  |
| 032-300-135 | 1 | Noncoded Connectors — KS-19771 Through KS-20144 — Description                                  |

**NOTICE**

Not for use or disclosure outside the Bell System except under written agreement

**SECTION 032-000-000**

| Section Number | Issue | Subject   |
|----------------|-------|---|
| 032-300-138    | 1     | Noncoded Connectors — KS-20201 Through KS-20262 — Description   |
| 032-300-140    | 1     | Noncoded Connectors — KS-20265 Through KS-20633 — Description   |
| 032-300-145    | 1     | Noncoded Connectors — KS-20635 Through KS-20863 — Description   |
| 032-300-150    | 1     | Noncoded Connectors — KS-20867 Through KS-21271 — Description   |
| 032-300-155    | 1     | Noncoded Connectors — KS-21274 Through KS-21442 — Description   |
| 032-300-160    | 1     | Noncoded Connectors — KS-21443 Through KS-21813 — Description   |
| 032-300-165    | 1     | Noncoded Connectors — KS-21869 Through KS-22066 — Description   |
| 032-300-115    | 1     | Noncoded Connectors — KS-19087 Through KS-19088 — Description   |
| 032-300-120    | 1     | Noncoded Connectors — KS-19163 Through KS-19198 — Description   |
| 032-300-170    | 1     | Noncoded Connectors — KS-22148 Through KS-22506 — Description   |
| 032-301-101    | 4     | Noncoded Jacks — Description  |
| 032-302-101    | 4     | Noncoded Plugs P-337449 Through P-44B492, and KS-8585 Through KS-14958 — Description  |
| 032-302-105    | 1     | Noncoded Plugs — KS-16081 Through KS-16476 — Description  |
| 032-302-110    | 1     | Noncoded Plugs — KS-16671 Through KS-16785 — Description  |
| 032-302-115    | 1     | Noncoded Plugs — KS-19044 Through KS-19183 — Description  |
| 032-302-120    | 1     | Noncoded Plugs — KS-19184 Through KS-19912 — Description  |
| 032-302-125    | 1     | Noncoded Plugs — KS-20126 Through KS-20999 — Description  |
| 032-302-130    | 1     | Noncoded Plugs — KS-21049 Through KS-22335 — Description  |
| 032-303-101    | 2     | Noncoded Sockets — KS-8132 Through KS-13680 — Description   |
| 032-303-105    | 1     | Noncoded Sockets — KS-14099 Through KS-14638 — Description  |
| 032-303-110    | 1     | Noncoded Sockets — KS-16102 Through KS-19826 — Description  |
| 032-303-115    | 1     | Noncoded Sockets — KS-20241 Through KS-21320 — Description  |
| 032-303-120    | 1     | Noncoded Sockets — KS-21538 Through KS-22320 — Description  |
| 032-305-801    | 2     | KS-14528, KS-14555, KS-14672, KS-16323 Connectors, KS-14095, KS-14173, and KS-16080 Jacks, KS-13875, KS-14460, and KS-14482 Plugs, and KS-14453 Socket — Piece-Part Data and Replacement Procedures |

| Section Number | Issue | Subject  |
|----------------|-------|--|
| 032-311-100    | 1     | Patching and Testing Cord Assemblies — One-Conductor Cords — General             |
| 032-311-102    | 5     | Patching Cord Assemblies — One-Conductor Cords — 1P1A to 1P12A — Description     |
| 032-311-111    | 4     | Patching Cord Assemblies — One Conductor Cords — P1A Through P1Y — Description   |
| 032-311-121    | 3     | Testing Cord Assemblies — One-Conductor Cords 1W1A to 1W17A — Description        |
| 032-311-131    | 3     | Testing Cord Assemblies — One-Conductor Cords — W1B through W1AU — Description   |
| 032-311-132    | 7     | Testing Cord Assemblies — One-Conductor Cords — W1AW Through W1BT — Description  |
| 032-311-145    | 2     | Testing Cord Assemblies — One-Conductor Cords — Miscellaneous — Description      |
| 032-312-100    | 1     | Patching and Testing Cord Assemblies — 2-Conductor Cords — General               |
| 032-312-102    | 4     | Patching Cord Assemblies — 2-Conductor Cords — 2P1A through 2P29A — Description  |
| 032-312-103    | 4     | Patching Cord Assemblies — 2-Conductor Cords — 2P30A through 2P38A — Description |
| 032-312-107    | 1     | Patching Cord Assemblies — 2-Conductor Cords — P2A Through P2T — Description     |
| 032-312-111    | 6     | Patching Cord Assemblies — 2-Conductor Cords — P2AA Through P2CD — Description   |
| 032-312-112    | 4     | Patching Cord Assemblies — 2-Conductor Cords — P2CF through P2DY — Description   |
| 032-312-113    | 4     | Patching Cord Assemblies — 2-Conductor Cords — P2EA Through P2EY — Description   |
| 032-312-114    | 2     | Patching Cord Assemblies — 2-Conductor — P2FA Through P2FL — Description         |
| 032-312-121    | 2     | Testing Cord Assemblies — 2-Conductor Cords — 2W1A to 2W28A — Description        |
| 032-312-122    | 4     | Testing Cord Assemblies — 2-Conductor Cords — 2W29A through 2W48A — Description  |
| 032-312-123    | 3     | Testing Cord Assemblies — 2-Conductor Cords — 2W49A through 2W53A — Description  |
| 032-312-130    | 2     | Testing Cord Assemblies — 2-Conductor Cords — W2A Through W2Y                    |
| 032-312-131    | 7     | Testing Cord Assemblies — 2-Conductor — W2AA Through W2CL — Description          |
| 032-312-132    | 8     | Testing Cord Assemblies — 2-Conductor Cords — W2CN Through W2EP — Description    |
| 032-312-133    | 7     | Testing Cord Assemblies — 2-Conductor Cords — W2ER Through W2FY — Description    |
| 032-312-134    | 7     | Testing Cord Assemblies — 2-Conductor Cords — W2GA Through W2GY — Description    |

| Section Number | Issue | Subject   | Section Number | Issue | Subject  |
|----------------|-------|---|----------------|-------|--|
| 032-312-135    | 3     | Testing Cord Assemblies — 2-Conductor Cords — W2HA Through W2HJ — Description   | 032-315-111    | 5     | Patching Cord Assemblies — 5-Conductor Cords — P5B Through P5M — Description                               |
| 032-312-145    | 2     | Testing Cord Assemblies — 2-Conductor Cords — Miscellaneous — Description       | 032-315-131    | 4     | Testing Cord Assemblies — 5-Conductor Cords — W5B to W5G — Description                                     |
| 032-313-100    | 1     | Patching and Testing Cord Assemblies — 3-Conductor Cords — General              | 032-316-100    | 1     | Patching and Testing Cord Assemblies — 6-Conductor Cords — General   |
| 032-313-102    | 3     | Patching Cord Assemblies — 3-Conductor Cords — 3P1A through 3P16B — Description | 032-316-102    | 4     | Patching Cord Assemblies — 6-Conductor Cords — 6P1A to 6P15B — Description                                 |
| 032-313-103    | 5     | Patching Cord Assemblies — 3-Conductor Cords — 3P17A to 3P36D — Description     | 032-316-111    | 6     | Patching Cord Assemblies — 6-Conductor Cords — P6B Through P6AE — Description                              |
| 032-313-104    | 2     | Patching Cord Assemblies — 3-Conductor Cords — 3P38A to 3P40A — Description     | 032-316-121    | 2     | Testing and Assemblies — 6-Conductor Cords — 6W1A to 6W2A — Description                                    |
| 032-313-108    | 2     | Patching Cord Assemblies — 3-Conductor Cords — P3A Through P3W — Description    | 032-316-131    | 5     | Testing Cord Assemblies — 6-Conductor Cords — W6A to W6P — Description                                     |
| 032-313-111    | 7     | Patching Cord Assemblies — 3-Conductor Cords — P3AA Through P3BN — Description  | 032-317-100    | 2     | Patching and Testing Cord Assemblies — Cords Having More Than Six Conductors — General                     |
| 032-313-121    | 3     | Testing Cord Assemblies — 3-Conductor Cords — 3W1A to 3W14B — Description       | 032-317-103    | 4     | Patching Cord Assemblies — Cords Having More Than Six Conductors — 14P1A Through 14P1K — Description       |
| 032-313-122    | 5     | Testing Cord Assemblies — 3-Conductor Cords — 3W15A through 3W20A — Description | 032-317-111    | 4     | Patching Cord Assemblies — Cords Having More Than Six Conductors — P8A Through P11C — Description          |
| 032-313-131    | 3     | Testing Cord Assemblies — 3-Conductor Cords — W3A Through W3Y — Description     | 032-317-112    | 3     | Patching Cord Assemblies — Cords Having More Than Six Conductors — P12A Through P14D — Description         |
| 032-313-132    | 4     | Testing Cord Assemblies — 3-Conductor Cords — W3AA Through W3AY — Description   | 032-317-113    | 4     | Patching Cord Assemblies — Cords Having More Than Six Conductors — P18A Through P22A — Description         |
| 032-313-133    | 2     | Testing Cord Assemblies — 3-Conductor Cords — W3BB Through W3BP — Description   | 032-317-115    | 5     | Patching Cord Assemblies — Cords Having More Than Six Conductors — P24A to P125A — Description             |
| 032-314-100    | 1     | Patching and Testing Cord Assemblies — 4-Conductor Cords — General              | 032-317-131    | 4     | Testing Cord Assemblies — Cords Having More Than Six Conductors — W7A Through W16C — Description           |
| 032-314-102    | 5     | Patching Cord Assemblies — 4-Conductor Cords — 4P1A Through 4P24A — Description | 032-317-133    | 4     | Testing Cord Assemblies — Cords Having More Than Six Conductors — W17A Through W23B — Description          |
| 032-314-103    | 3     | Patching Cord Assemblies — 4-Conductor Cords — 4P25A to 4P27A — Description     | 032-317-135    | 4     | Testing Cord Assemblies — Cords Having More Than Six Conductors — W25A Through W100A — Description         |
| 032-314-111    | 5     | Patching Cord Assemblies — 4-Conductor Cords — P4H to P4AY — Description        | 032-317-145    | 1     | Patching Cord Assemblies — Cords Having More Than Six Conductors — M12L to M30A — Description              |
| 032-314-112    | 6     | Patching Cord Assemblies — 4-Conductor Cords — P4BA Through P4BN — Description  | 032-318-101    | 1     | Patching Cord Assemblies — Cords Having More Than Six Conductors — D25D-87 to D75B-87 — Description        |
| 032-314-121    | 4     | Testing Cord Assemblies — 4-Conductor Cords — 4W1A through 4W12A — Description  | 032-318-102    | 1     | Patching Cord Assemblies — Cords Having More Than Six Conductors — D150P-87 to D250F-87 — Description      |
| 032-314-131    | 7     | Testing Cord Assemblies — 4-Conductor Cords — W4H Through W4BY — Description    | 032-322-501    | 2     | Switchboard Cords, Plugs, Associated Keys and Lamps, and Miscellaneous Shelf Apparatus — Visual Inspection |
| 032-314-132    | 7     | Testing Cord Assemblies — 4-Conductor Cords — W4CA Through W4DC — Description   |                |       |  |
| 032-314-145    | 1     | Miscellaneous Cord Assemblies — 4-Conductor Cords — Description                 |                |       |  |
| 032-315-100    | 1     | Patching and Testing Cord Assemblies — 5-Conductor Cords — General              |                |       |  |
| 032-315-102    | 4     | Patching Cord Assemblies — 5-Conductor Cords — 5P1A through 5P7A — Description  |                |       |  |

**SECTION 032-000-000**

| Section Number | Issue | Subject   |
|----------------|-------|---|
| 032-322-811    | 4     | Switchboard Cord Cushions — 1A, 2A and 4A Type — Installation Procedures  |
| 032-323-501    | 1     | Patching Cords and Test Lines — Toll Offices — Tests  |
| 032-324-501    | 4     | Unattached Cords and Make-Busy Plugs Using Patching Cord Test Set — Tests and Inspections   |
| 032-325-801    | 2     | P-15A417 Cord Holder — Mounting and Use on Crossbar Switches  |
| 032-329-801    | 6     | Cord Reels — KS-14975 and KS-16124 Types — Piece-Part Data and Replacement Procedures   |
| 032-340-701    | 3     | Drops — 4, 19, 35, and 56 Types — Requirements and Adjusting Procedures (Condensed Section: 032-930-701)                                |
| 032-341-701    | 2     | 22-Type Drops — Requirements and Adjusting Procedures   |
| 032-350-501    | 3     | 49- and 92-Type Switchboard Multiple Jacks — Local Switchboards — Tests and Inspections   |
| 032-350-502    | 1     | Jacks — 49, 92, 141, 218, 275, 284, 285, 295, 365 and Similar Types — Cutout Test Using Test Set J94720A                                |
| 032-350-701    | 4     | 49-Type Jacks — Requirements and Adjusting Procedures   |
| 032-350-801    | 4     | Jacks — 49, 137, 138, 141, 166, 275, 295, 308, 347, 362, 365, 378, 494, 499, and 500 Types — Piece-Part Data and Replacement Procedures |
| 032-351-701    | 3     | Jacks — 92, 229, 292, 510, 511, and 512 Types — Requirements and Adjusting Procedures   |
| 032-351-801    | 4     | Jacks — 92-, 229-, 292-, 510-, 511-, and 512-Types — Piece-Part Data and Replacement Procedures   |
| 032-352-701    | 4     | Jacks (Used with 310- or 347-Type Plugs) — Requirements and Adjusting Procedures  |
| 032-353-501    | 2     | 141-Type Switchboard Multiple Jacks — Nos. 9 and 10 Switchboards — Tests and Inspections  |
| 032-356-701    | 1     | Jacks — No. 463A — Requirements and Adjusting Procedures  |
| 032-357-801    | 1     | Jacks — 513, 514, 545, and 556-Types Repair   |
| 032-380-701    | 2     | Combined Jacks and Signals — Nos. 23C, 52C, and 55C — Requirements and Adjusting Procedures   |

**032-5 LAMPS, PLUGS, SIGNALS, AND SOCKETS**

|             |    |  |
|-------------|----|--|
| 032-500-501 | 1  | Resistance Lamps — Tests and Inspections   |
| 032-501-801 | 7  | Switchboard Lamps and Light-Emitting Diodes — Description, Ordering Information, and Method of Placing |
| 032-510-101 | 12 | Coded Plugs — 1 Through 199 — Description  |
| 032-510-104 | 1  | Coded Plugs — 200 Through 249 — Description  |

| Section Number | Issue | Subject  |
|----------------|-------|--|
| 032-510-107    | 1     | Coded Plugs — 250 Through 299 — Description      |
| 032-510-110    | 1     | Coded Plugs — 300 Through 324 — Description      |
| 032-510-113    | 1     | Coded Plugs — 325 Through 349 — Description      |
| 032-510-116    | 1     | Coded Plugs — 350 Through 374 — Description      |
| 032-510-119    | 1     | Coded Plugs — 375 Through 399 — Description      |
| 032-510-122    | 1     | Coded Plugs — 400 Through 424 — Description      |
| 032-510-125    | 1     | Coded Plugs — 425 Through 449 — Description      |
| 032-510-128    | 1     | Coded Plugs — 450 Through 474 — Description      |
| 032-510-131    | 1     | Coded Plugs — 475 Through 499 — Description      |
| 032-510-134    | 1     | Coded Plugs — 500 Through 514 — Description      |
| 032-510-137    | 1     | Coded Plugs — 515 Through 526 — Description      |
| 032-511-101    | 4     | Coded Jacks—1 Through 199 — Description          |
| 032-511-104    | 1     | Coded Jacks — 201 Through 249 — Description      |
| 032-511-107    | 1     | Coded Jacks — 250 Through 299 — Description      |
| 032-511-110    | 1     | Coded Jacks — 300 Through 349 — Description      |
| 032-511-113    | 1     | Coded Jacks — 350 Through 399 — Description      |
| 032-511-116    | 1     | Coded Jacks — 400 Through 449 — Description      |
| 032-511-119    | 1     | Coded Jacks — 450 Through 474 — Description      |
| 032-511-122    | 1     | Coded Jacks — 475 Through 499 — Description      |
| 032-511-125    | 1     | Coded Jacks — 500 Through 549 — Description      |
| 032-511-128    | 1     | Coded Jacks — 550 Through 574 — Description      |
| 032-511-131    | 1     | Coded Jacks — 575 Through 599 — Description      |
| 032-511-134    | 1     | Coded Jacks — 600 Through 624 — Description      |
| 032-511-137    | 1     | Coded Jacks — 625 Through 649 — Description      |
| 032-511-138    | 1     | Coded Jacks — 650 Through 700 — Description      |
| 032-512-101    | 1     | Coded Connectors — 200 Through 310 — Description |
| 032-512-104    | 1     | Coded Connectors — 700 Through 809 — Description |
| 032-512-107    | 1     | Coded Connectors — 900 Through 907 — Description |
| 032-512-110    | 1     | Coded Connectors — 908 Through 914 — Description |
| 032-512-113    | 1     | Coded Connectors — 915 Through 939 — Description |
| 032-512-116    | 1     | Coded Connectors — 940 Through 943 — Description |
| 032-520-501    | 3     | 47-, 289-, 312-, and Similar Type Plugs          |

| Section Number    | Issue | Subject   | Section Number  | Issue | Subject  |
|-------------------|-------|---|-----------------|-------|--|
| 032-521-501       | 1     | Switchboard Plugs — Nos. 109 and 110 — Tests  | 032-705-701     | 2     | 214, 217, 227, 228, 229, 230, 231, 273, 352, 362, 408, and 416 Types — Requirements and Adjusting Procedures   |
| 032-542-801       | 10    | Plugs Associated With Switchboard Cords and Method of Replacing S3A Cords Piece-Part Data and Replacement Procedures  | 032-706-701     | 2     | 223-Type — Requirements and Adjusting Procedures   |
| 032-543-301       | 5     | 459-Type Plugs — Mounting and Use on Small Crossbar Switches  | 032-707-701     | 2     | 237- and 243-Type — Requirements and Adjusting Procedures  |
| 032-544-301       | 1     | KS-20864 L16 Through L19 Adapters — Mounting and Use  | 032-708-701     | 2     | 251-Type — Requirements and Adjusting Procedures (Condensed Section: 032-971-701)  |
| 032-545-701       | 2     | Plugs and Sockets — Howard B. Jones Type — Requirements and Adjusting Procedures  | 032-709-701     | 5     | 272, 406, 498, 538, 556, 6013, A4, B2, B9, and B20 Types — Requirements and Adjusting Procedures (Condensed Section: 032-970-701)  |
| 032-550-701       | 2     | 4-Type Signals — Requirements and Adjusting Procedures (Condensed Section: 032-950-701)   | 032-710-701     | 2     | 290 and 293 Types — Requirements and Adjusting Procedures  |
| 032-551-701       | 2     | Signals — 34 and 41 Types — Requirements and Adjusting Procedures   | 032-711-701     | 3     | 357, 370, 375, 376, 377, 378, 379, 381, 382, 383, 388, 390, 391, 392, 393, 394, 395, 396, 397, 398, 426, 488, and 511 Types and Nos. 6002A, B, C, D, F, G, and H and Associated Levers — Requirements and Adjusting Procedures   |
| 032-551-801       | 1     | Signals — 34, 39, and 41 Types and Associated Signal Mountings — Piece-Part Data and Replacement Procedures   | 032-712-701     | 3     | 438, 439, 450, 451, 453, 462, and 463 Types — Requirements and Adjusting Procedures  |
| 032-552-701       | 3     | Signals — 42-Type — Requirements and Adjusting Procedures   | 032-713-701     | 2     | 478-Type — Requirements and Adjusting Procedures   |
| 032-552-801       | 1     | Signals — 42-Type and Associated Signal Mountings — Piece-Part Data and Replacement Procedures  | 032-714-701     | 5     | 479, 497, 501, 503, 504, 506, 507, 512, 514, 516, 526, 529, 531, 532, 540, 546, 548, 555, 557, 558, 571, 578, 586, 6008, 6009, 6011, A1, A2, A5, A6, A7, A8, A9, A10, A11, A13, A14, A15, A17, A18, A20, A23, A24, A25, A26, A27, A29, A30, A31, A32, A33, A35, B1, B3, B5, B6, B7, B8, B10, B14, B15, B17, B18, B19, B21, C1, C2, C3, C5, C6, C7, C8, E5, G1, G2, and G6 Types — Requirements and Adjusting Procedures (Condensed Section: 032-970-701) |
| 032-556-701       | 2     | Signals — D-96972 and D-968229 and D-96846 Indicators — Requirements and Adjusting Procedures   | 032-716-701     | 2     | 493-Type — Requirements and Adjusting Procedures   |
| 032-570-811       | 1     | Lamp Sockets — 13 and 41A Types — Installation of KS-8470 Paper Insulators  | 032-717-701     | 3     | 499, 523, and 524 Types — Requirements and Adjusting Procedures  |
| 032-571-801       | 1     | 310A Lamp Socket Mounting — Piece Part Data and Replacement Procedures  | 032-718-701     | 2     | 513-Type — Requirements and Adjusting Procedures   |
| <b>032-7 KEYS</b> |       |   | 032-719-701     | 4     | 517, 530, A21, B13, C4, C9, C10, and C11 Types — Requirements and Adjusting Procedures   |
| 032-700-701       | 4     | 60-Type Selector and 491-Type — Requirements and Adjusting Procedures   | Add 032-720-701 | 1     |  |
| 032-701-701       | 3     | A-3, B-11, 69, 183, 242, 492, 508, 521, and 539 Types — Requirements and Adjusting Procedures   | 032-720-701     | 2     | 518-Type — Requirements and Adjusting Procedures   |
| 032-702-701       | 3     | 89, 92, 188, 424, 464, 494, 495, and 527 Types — Requirements and Adjusting Procedures (Condensed Section: 032-970-701)   | 032-721-701     | 2     | 519-Type — Requirements and Adjusting Procedures   |
| 032-703-801       | 8     | 92, 233, 479, 490, 493, 497, 498, 499, 520, 523, 524, 529, 545, A1, A2, A4, A5, A6, A7, A8, A9, A10, A11, A13, A14, A15, A17, A18, A20, A26, A27, A28, A29, A30, A31, A32, A33, A34, A35, A36, A37, B1, B2, B3, B5, B6, B7, B8, B9, B10, B14, B15, B17, B18, B19, B20, B22, B23, B25, B26, C1, C2, C3, C5, C6, C7, E1, E2, E6, G1, G2, G3, G4, G6 and G7 Types — Piece-Part Data and Replacement Procedures | 032-722-701     | 3     | 520-Type — Requirements and Adjusting Procedures   |
| 032-704-701       | 2     | 102, 103, 104, 105, 107, 110, 111, 115, 116, 117, 118, 120, 121, 122, 123, 124, 131, 135, 136, 139, 140, 143, 147, 150, 151, 155, 156, 164, 165, 167, 172, 177, 178, 184, 189, 192, 194, 196, 198, 201, 210, 212, 225, 247, 249, 250, 256, 257, 262, 264, 266, 267, 270, 277, 280, 285, 291, 369, 415, 421, 423, 425, 429, 431, 432, and 454 Types and No. 6002-E — Requirements and Adjusting Procedures   | 032-723-701     | 5     | 545, 575, 591, A28, A34, A36, B22, B23, B25, B26, E6, G3, G4 and G5 Types — Requirements and Adjusting Procedures  |

**SECTION 032-000-000**

| Section Number | Issue | Subject   |
|----------------|-------|---|
| 032-724-701    | 9     | 547, 552, 576, 579, 582, 583, 585, 592, 596, 597, 614, 615, 624, 625, 630, 648A, 649A, and 650 Types — Requirements and Adjusting Procedures  |
| 032-724-801    | 9     | 547-, 552-, 576-, 579-, 585-, 588-, 589-, 590-, 592-, 596-, 597-, 611-, 614-, 615-, 618-, 624-, 625-, 626-, 629-, 630-, 636-, 638-, 648-, 649-, 650-, 651-, 656-, 657-, 658-, 661-, 663-, 664-, 665-, 680-, 681-, and 683-Type — Piece-Part Data and Replacement Procedures |
| 032-725-701    | 1     | 570-Type — Requirements and Adjusting Procedures  |
| 032-726-701    | 3     | 580A and 581A — Requirements and Adjusting Procedures   |
| 032-726-801    | 1     | 580 and 581 Types and Associated Keyshelf Bushing — Piece-Part Data and Replacement Procedures  |
| 032-750-701    | 2     | E1 and E2 Types — Requirements and Adjusting Procedures   |
| 032-751-701    | 1     | E4A Key — Requirements and Adjusting Procedures   |
| 032-771-811    | 2     | Fibre Key Shields — Installation  |

| Section Number | Issue | Subject  |
|----------------|-------|--|
| 032-790-701    | 2     | Stromberg-Carlson 307 and 311 Types — Requirements and Adjusting Procedures (Condensed Section: 032-972-701) |
| 032-790-702    | 2     | Stromberg-Carlson 319 and 320 Types — Requirements and Adjusting Procedures (Condensed Section: 032-972-701) |

**032-9 DROPS, KEYS, AND SIGNALS — CONDENSED SECTIONS**

|             |   |   |
|-------------|---|---|
| 032-930-701 | 1 | Drops — 19, 35, and 56 Types — Requirements — (Condensed Sections for 032-340-701)  |
| 032-950-701 | 1 | 4-Type Signals — Requirements — (Condensed Section for 032-550-701)   |
| 032-970-701 | 4 | Keys — 92, 188, 272, 406, 424, 464, 479, 498, 501, 514, 526, 529, 531, 532, 540, 557, 558, 586, 6009, 6011, 6013, A1, B1, B2, B9, B20, C1, C3, and G1 Types — Requirements — (Condensed Section for 032-702-701, 032-709-701 and 032-714-701) |
| 032-971-701 | 1 | 251-Type Keys — Requirements — (Condensed Section for 032-708-701)  |
| 032-972-701 | 1 | Keys — Stromberg-Carlson 307, 311, and 320 Types — Requirements — (Condensed Section for 032-790-701 and 032-790-702)   |