

PATCHING CORD ASSEMBLIES
3-CONDUCTOR CORDS
3P17A THROUGH 3P36D
DESCRIPTION

1. GENERAL

1.01 This section lists and illustrates the 3P17A through 3P36D 3-conductor cords.

1.02 This section is reissued to:

- Update the format
- Rate the 3P21A, 3P21B, 3P21C, 3P22A, 3P23B, and 3P24A cords Mfr Disc.
- Add the 3P27C cord

Revision arrows are used to emphasize the more significant changes. The Equipment Test List is not affected.

1.03 For general information on these cords, refer to Section 032-313-100.

2. DESCRIPTION OF CORDS

3P17A


1 P3N cord, 3 feet long, equipped with:
1 310 plug
1 241A plug

3P17B

1 P3N cord, 6 feet long, equipped with:
1 310 plug
1 241A plug

3P17C


1 P3N cord, 15 feet long, equipped with:
1 310 plug
1 241A plug



Res 0.18 Ω /ft

3P18A

1 P3R cord, 19 feet 6 inches long, equipped with:
1 234 plug
1 310 plug



Res 0.21 Ω /ft


NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

SECTION 032-313-103

3P18B


- 1 P3R cord, 19 feet 6 inches long, equipped with:
 - 1 234 plug
 - 1 310 plug



Res 0.21 Ω /ft

3P19A

- 1 P3S cord, 19 feet 6 inches long, equipped with:
 - 1 234 plug
 - 1 310 plug



Res 0.21 Ω /ft

3P20A

- 1 P3P cord, 4 feet long, equipped with:
 - 2 305A plugs

Res 0.06 Ω /ft


3P20B

- 1 P3P cord, 6 feet long, equipped with:
 - 2 305A plugs

Res 0.06 Ω /ft

3P20C

- 1 P3P cord, 12 feet long, equipped with:
 - 2 305A plugs



Res 0.06 Ω /ft

3P21A MFR DISC

No replacement.

3P21B—MFR DISC.

No replacement.

3P21C—MFR DISC.

No replacement.

3P22A—MFR DISC.

No replacement.⚡

3P23A—MFR DISC.

No replacement.

⚡3P23B—MFR DISC.

No replacement.

3P24A—MFR DISC.

No replacement.⚡

3P25A—MFR DISC.


Replaced by the 3P12E cord.

3P26A—MFR DISC.

Replaced by the 3P3A cord.

3P27A

1 P3U cord, 7 feet long, equipped with:
 1 310 plug
 1 351A plug



Res 0.21 Ω /ft

P-15A417 cord holders furnished when requested. Specify number required. Replaces the D-157527 cord.


3P27B

1 P3U cord, 7 feet long, equipped with:
 1 310 plug (with black shell)
 1 351A plug

P-15A417 cord holders furnished when requested. Specify number required.

⚡3P27C


1 P3U cord, 19 feet 6 inches long, equipped with:
 1 310 plug
 1 351A plug



Res 0.21 Ω /ft⚡

3P28A

1 P3U cord, 7 feet long, equipped with:
 1 310 plug
 1 351B plug




Res 0.21 Ω /ft

P-15A417 cord holder furnished when requested. Specify number required. Replaces the D-157526 cord.

SECTION 032-313-103

3P29A


- 1 P3F cord, 8 feet long, equipped with:
 - 1 309 plug
 - 1 310 plug



Res 0.18 Ω /ft

3P30A


- 1 P3AA cord, 10 feet long, equipped with:
 - 1 310 plug
 - 1 240A plug



Res 0.006 Ω /ft

3P31A

- 1 P3D cord, 8 feet long, equipped with:
 - 2 309 plugs




Res 0.18 Ω /ft

3P32A

- 1 P3H cord, 5 feet long, equipped with:
 - 1 240B plug
 - 1 310 plug

3P33A


- 1 P3H cord, 10 feet long, equipped with:
 - 1 240B plug
 - 1 310 plug



Res 0.21 Ω /ft

3P34A

- 1 P3BF cord, 7 feet long, equipped with:
 - 1 351A plug
 - 1 464B plug




Res 0.21 Ω /ft

P-15A417 cord holders furnished when requested.
Specify number required.

3P35A

- 1 P3H cord, 10 feet long, equipped with:
- 1 240H plug
- 1 310 plug



Res 0.21 Ω /ft

3P36A

- 1 P3AJ cord, 10 feet long, equipped with:
- 2 310 plugs (with black shells)

3P36B


- 1 P3AJ cord, 15 feet long, equipped with:
- 2 310 plugs (with black shells)

3P36C

- 1 P3AJ cord, 20 feet long, equipped with:
- 2 310 plugs (with black shells)

3P36D

- 1 P3AJ cord, 25 feet long, equipped with:
- 2 310 plugs (with black shells)



Res 0.18 Ω /ft