NONCODED TOOLS

KITS I

DESCRIPTION

166		268		
This tool kit includes the following items:		This tool kit includes the following items:		
AMT	DESCRIPTION	AMT	DESCRIPTION	
1	R-2032 Shipping Case containing:	1	R-1883 Shipping Case containing:	
2 1 1 1 1 1	RM-657709 Rubber Aprons R-1453 1/4-Inch Wood Chisel R-1454 1-1/4 Inch Wood Chisel R-1459 Lug Cutter R-1309 Vixen 12-Inch File (Includes File Handle) R-2681 Safety Goggles With Case (One Stick of Compound RM-641461 in Each Case) R-1048 Hydrometer (A Syringe- Type Hydrometer for Testing Specific Gravity of Electrolyte	1 1 1 1 1 1 1	R-6180 0.189-Inch Offset Slot Bender R-5490 0.198-Inch Slot Bender R-5950 0.167-Inch Slot Bender R-5960 0.104-Inch Slot Bender R-5510 1- by 1- by 8-Inch Fiber Block R-5550 Clamp R-1482 8-Inch Smooth Flat File R-9430 1-Pound Claw Hammer R-8370 2-Foot Carpenters Wood Level	
	in Storage Batteries)	1	R-2558 Padlock	
1	R-2558 Padlock	1	R-5920 5/16- by 5-Inch Rod	
$\begin{array}{c} 2 \\ 12 \end{array}$	R-1417 Lead Scrapers R-1528 Battery Burning Tongs	1 11	R-5500 3/8- by 5-Inch Rod R-5940 1/8- by 5-Inch Rod	
2 1	R-2151 Battery Plate Tool Spacings R-81384 Lead Burning Outfit	1	R-5930 1/4- by 5-Inch Rod se in realigning and readjusting knife	
asse conn threa	e hose connections of torch and hose mbly only when defective. Shellac lections when replacing, observing left-hand ad on hydrogen hose connector. For use in ling in storage battery plates.	1000A This to	ol kit includes the following items: DESCRIPTION 15A Carrying Case containing:	

1	49	3A Tool			
_		replacing iterrupters.	_	on	reciprocating

491A Tool 492A Tool

1

1

1001A

This tool kit includes the following items:

AMT	DESCRIPTION
1	16A Carrying Case containing:
1	494B Tool
1	495A Tool
1	496A Tool
1	130A Gauge

For use in replacing pawl pins on 197- and 198-type switches.

	
1002A	MFR DISC
1003A	

This tool kit includes the following items:

AMT	DESCRIPTION		
1	18A Carrying Case containing:		
1	353C Tool		
1	570A Tool		
1	571A Tool		

Replaces the 353B grease gun. For general use.

1004B

This tool kit includes the following items:

AMT	DESCRIPTION	
1	KS-14763 Carrying Case (Including a KS-16157 L1 Carrying Strap) containing:	
1	1011B Tool Kit	
1	586A Tool (Holder for 577B Tool)	
1	R-1138 Adapter	
4	P-125209 R.H.M. Screws	
4	P-283106 Washers	
1	102B Current Supply Set	
1	577B Tool includes:	
1	P-479940 No. 11 Electrode	
1	P-480215 No. 20 Electrode	

No parts of the 102B current supply set except the fuse shall be replaced in the field. When repairs are necessary, return the set to the Western Electric Company. Replaces the 1004A tool kit. For use in replacing precious metal contacts on relays and switches in central offices.

1011A		•		MFR DISC
Replaced	by the 1	011B t	ool kit.	

1011B

This tool kit includes the following items:

	· ·
AMT	DESCRIPTION
1	KS-16118 Carrying Case containing:
1	245 Tool
1	578B Tool (Contact Stripping Pliers)
1	578C Tool (Contact Cutting Pliers)
4	KS-6320 Orange Sticks
1	KS-8511 Tweezers
1	P-479941 No. 10 Electrode
1	P-463553 No. 12 Electrode
1	P-485151 No. 21 Electrode
2	P-15A999 Kits each consisting of one P-15A998 Container containing one each of the following:
	P-479918 A Guide P-479919 B Guide P-479920 C Guide P-479921 D Guide P-479922 E Guide P-479923 F Guide P-480371 H Guide P-480372 J Guide P-480374 L Guide P-482265 M Guide P-485148 N Guide P-485149 P Guide
	1-4001491 Adine

Replaces the 1011A tool kit. Component of the 1004B tool kit. Contacts are not furnished as a part of the kit but must be ordered separately.

1013A

This tool kit includes the following items:

AMT	DESCRIPTION
1	KS-16261 Carrying Case containing:
1	636A Tool
1	586B Tool (Holder and Guard for 636A Tool)
1	KS-16118 Carrying Case containing:
1	578E Tool
1	628A Tool
1	629A Tool
1	629B Tool
1	630A Tool
1	638A Tool
1	638B Tool
1	652A Tool
1	652B Tool
2	656A Tool
1	689A Tool
1	KS-14640 Pliers
1	KS-14641 Pliers
1	KS-16735 Pliers
1	768 Tool
1	P-15A994 Container for P-10A949
	0.012-Inch Contacts
1	P-15A995 Container for P-19A353
	0.026-Inch Contacts
1	P-16A181 Container for P-16A180
_	0.009-Inch Contacts
1	840 056 584 Electrode

Contacts are not furnished with the kit but must be ordered separately. For use with the 1004B tool kit in replacing precious metal contacts on wire spring relays.

1014B

This tool kit includes the following items:

АМТ	DESCRIPTION
1	20B Carrying Case containing:
1	666B Tool
1	P-16A068 Container (For 669A Tools)
6	669A Tools
1	674A Tool
1	715A Tool
1	716A Tool
1	716B Tool
1	717B Tool
1	P-12B564 Plastic Box (For Wedges)
4	718A Tools (Wedges)
1	P-12B537 Container (For Terminal Guide Tubes)
8	P-12B536 Tubing (Terminal Guide Tubes)

Containers P-12B537, P-12B564, P-16A068, and P-12B536 tubing must be ordered separately. For use in replacing coils of AF-, AG-, AJ-, AK-, 286-, 287-, and 288-type relays.

1015A

This kit includes the following tools in addition to an assortment of replacement coils, relays, and other apparatus required for maintenance of remote units of the 1A line concentrator.

AMT	DESCRIPTION
1	Repairment Case (Specification
1	AT-7179B) KS-16363 L1 Wire Wrapping Tool
1	KS-16492 L1 Wire Unwrapping Tool
1	KS-16522 L1 Wrapping Bit
1	KS-16363 L30 Stationary Sleeve

For use in maintenance of the 1A line concentrator.

1017A		AMT	DESCRIPTION
This too	ol kit contains the following items:	1	P-11H642, Detail 30, Wedge, Top
AMT	DESCRIPTION	1	P-11H649, Detail 31, Wedge, Bottom
1	Case, Carrying, KS-20499 L1	1	P-11H643, Detail 32, Wedge,
1	P-11H619, Detail 1, Retainer	-	Top
	Wedge Support Assembly	1	P-11H650, Detail 33, Wedge,
2	P-11H620, Detail 2, Spacer Nut	1	Bottom
1	P-11H621, Detail 3, Post,	1 1	P-11H632, Detail 34A, Wedge
	Anchoring	i	P-11H651, Detail 34B, Wedge
2	P-11H622, Detail 4, Stud,		P-12B564, Plastic Box for
	Spacing	1	Details 7 and 19
1	P-11H623, Detail 5, Wedge	1	628A Tool
	Inserter Assembly	1	Tool Kit, 1018A
4	P-12B536, Detail 6, Tubes With	1	1001 Mt, 1010A
	Plastic Container, P-12B537		s the 1014B tool kit in the repairing c
1	P-11H624, Detail 7, Yoke	AF-,	AG-, AJ-, and AK-type wire spring relay
	Assembly	→1018A·	
4	P-11H625, Detail 8, Insulator	1	
2	P-11H627, Detail 10, Retainer	This too	ol kit contains the following items:
	Assembly		
2	P-11H628, Detail 11, Retainer,	AMT	DESCRIPTION
	Stud Spacer	1	P-11H630, Detail 13, Comb
1	P-11H629, Detail 12, Support,	ī	P-11H631, Detail 14, Comb
	Top Wedge	1	P-11H633, Detail 16, Lifter
1	P-11H634, Detail 17, Support,	1 1	840440168, Detail 35, Lifter
	Bottom Wedge	1 1	840286199, Detail 36, Lifter
1	P-11H635, Detail 18, Bracket	1	840286207, Detail 37, Comb
	Assembly	1 1	840286215, Detail 38, Comb
1	P-11H613, Detail 15, Bracket	1	Lifter
1	P-11H636, Detail 19, Clip	į	
1	P-11H637, Detail 20, Wedge,	l l	ed as part of the 1017A tool kit. Intende
	Top		se in removing and replacing cards on AF
1	P-11H644, Detail 21, Wedge,	AG-,	AJ-, and AK-type relays.
	Bottom	→1019A·	<u> </u>
1	P-11H638, Detail 22, Wedge,		
	Тор	This too	ol kit contains the following items:
1	P-11H645, Detail 23, Wedge,	-	
	Bottom	AMT	DESCRIPTION
1	P-11H639, Detail 24, Wedge,	1	Cable No. 1 808A Equipped With
	Тор	*	One Male
1	P-11H646, Detail 25, Wedge,		KS-19279 L8 Connector and Hood
	Bottom		and One Female
1	P-11H640, Detail 26, Wedge,		KS-19278 L6 Connector and Hood
	Тор	1	Cable No. 2 808A Equipped With
1	P-11H647, Detail 27, Wedge,	_	One Male
	Bottom		KS-19279 L8 Connector and Hood
1	P-11H641, Detail 28, Wedge,	1	and One Female
_	Top	ĺ	KS-19278 L6 Connector and Hood
1	P-11H648, Detail 29, Wedge,		West savet
	Bottom	L	

→1019A←	(CONT)	АМТ	DESCRIPTION
AMT	DESCRIPTION	1	R-3805 Chart (Issue 5) of
1	Cable No. 3 808A Equipped With		Contents in Kit; Paste in Lid
•	One Male		of R-3883 Case
	KS-19279 L10 Connector and Hood	1	R-3882 Chart (Issue 4) of Contents in R-2520 Case;
	and One Female		Paste in Lid of R-2520 Case
	KS-19278 L9 Connector and Hood	1	R-3884 Chart (Issue 2) of
1	Cable No. 4 808A Equipped With	_	Contents in R-3881 Case;
	One Male		Paste in Lid of R-3881 Case
	KS-19279 L8 Connector and Hood	1	R-3768 Depth Gauge
	and One Female KS-19278 L6 Connector and Hood	1	KS-19873 or R-3827 Cylinder
1	Cable No. 5 808A Equipped With		Gauge
	One Male	1	KS-19908 or R-3839 Card Retainer
	KS-19279 L8 Connector and Hood	_	Gauge
	and One Female	1	KS-19877 or R-3826 End Switch
	KS-19278 L6 Connector and Hood	1 .	Gauge
1	Cable No. 6 808A Equipped With	1	KS-6909 Feeler Gauge consisting
	One Male		of:
	KS-19279 L8 Connector and Hood	2	P-243663 0.0015 Inch
	and One Female	1	P-243664 0.002 Inch
	KS-19278 L6 Connector and Hood	1	P-243665 0.003 Inch
1	Cable No. 7 808A Equipped With	1	P-243666 0.004 Inch
	One Male	1	P-243667 0.005 Inch
	KS-19279 L8 Connector and Hood	1	P-243668 0.006 Inch
	and One Female	1 1	P-243669 0.007 Inch P-243670 0.008 Inch
1	KS-19278 L6 Connector and Hood Cable No. 8 808A Equipped With	1	P-243671 0.008 Inch
1.	One Male	1	P-243671 0.003 Inch
	KS-19279 L10 Connector and Hood	1	P-243673 0.011 Inch
	and One Female	1	P-243674 0.012 Inch
	KS-19278 L6 Connector and Hood	1	P-243675 0.013 Inch
f I J		1	P-243676 0.014 Inch
Used to reduce system downtime when an adjacent		1	P-243677 0.015 Inch
failure occurs on the 32K signal processor call store.		1	P-243678 0.016 Inch
		1	P-243679 0.017 Inch
→1020A←		1	P-243655 0.018 Inch
This tool kit contains the following items:		1	P-243656 0.019 Inch
	·	1 1	P-243657 0.020 Inch P-243658 0.021 Inch
AMT	DESCRIPTION	1 1	P-243659 0.021 Inch
1	507A Adjuster	1	P-243660 0.023 Inch
1	R-2481 30-Pound Balance Spring	1	P-243661 0.024 Inch
1	R-2580 Bolt and Nut Sealing	1	P-243662 0.025 Inch
î	R-2966 Brush	1	P-243683 Handle
$\overline{2}$	KS-3093 Brush	1	KS-6938 Feeler Gauge consisting
1	486A Oilcan		of:
1	KS-14642 Oilcan	1	P-247342 0.026 Inch
1	R-2520 Case (For Small Tool and	1 1	P-247343 0.026 Inch
	Gauges)	1 1	P-247344 0.028 Inch
1	R-3881 Case (For Precision	1 1	P-247345 0.029 Inch
	Gauges)		3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

SECTION 074-670-101

→1020A←	(CONT)
AMT	DESCRIPTION
1	P-247346 0.030 Inch
1	P-247347 0.031 Inch
1	P-247348 0.032 Inch
1	P-247349 0.033 Inch
1	P-247350 0.034 Inch
1	P-247351 0.035 Inch
1	P-247352 0.036 Inch
1	P-247353 0.037 Inch
1	P-247354 0.038 Inch
1	P-247355 0.039 Inch
1	P-247356 0.040 Inch
1	P-247470 Handle
1	KS-19874 or R-3822 Finger Gauge
1	R-3658 Gram Tension Gauge,
	Barrel-Type 0-1000 consisting
	of:
•	79B Gauge
1 1	R-1972 Shipping Case
1	70D Gram Tension Gauge Fan-
1	Type 50-0-50
1	R-2771 Tension Gauge 0-6 Pounds
1	KS-19909 or R-3820 Head Aligning
-	Gauge
1	KS-19876 or R-3823 Load Mounting
	Gauge
1	KS-19878 or R-3825 Pawl Gauge
1	KS-19875 Switch Gauge
1	KS-19907 S6-S7-S8 Switch Gauge
1	KS-19910 or R-3837 Trip Rod
	Switch Gauge
1	376A Large Mirror
1	R-2558 Padlock (With Two Keys)
1	R-2975 External Snap Ring Pliers
1	R-3971 Protractor
1	R-3831 Gear Puller
1	R-8550 6-Inch Scale
1	KS-19879 or R-3830 Jack Screw
1	R-2259 6-Inch Cabinet Screwdriver
1	R-3110 Phillips-Type Screwdriver
1	R-1005 7/8-Inch Keweler's
1	Screwdriver
1	R-3832 A Loctite Sealant
1	R-3833 C Loctite Sealant
$\overset{1}{2}$	KS-6320 Orange Stick
1	R-3885 Magnetic Tape Viewer E/W
-	Case
1	R-3769 1/4-Ounce Weight
$\overline{1}$	R-3770 1/2-Ounce Weight

AMT	DESCRIPTION
1	R-2485 or R-3780 5/32-Inch Allen Wrench
1	R-2670 or R-3780 3/32-Inch Allen Wrench
1	R-2671 or R-3780 1/8-Inch Allen Wrench
1	R-2812 or R-3780 3/16-Inch Allen Wrench
1	R-2958 or R-3780 5/64-Inch Allen Wrench
1	R-2959 or R-3780 1/16-Inch Allen Wrench
1	R-2961 or R-3780 0.050-Inch Allen Wrench
1	R-3415 or R-3780 7/64-Inch Allen Wrench
1	R-3416 or R-3780 9/64-Inch Allen Wrench
1	R-2512 8-Inch Adjustable Wrench
1	R-1945 5/16-Inch Bristol
-	Multispline Wrench
1	R-4090 0.048-Inch Bristol
	Multispline Wrench
1	418A 7/32-Inch-5/16-Inch O.E. Wrench
1	417A 1/4-Inch-3/8-Inch O.E. Wrench
2	R-3193 9/32-Inch-11/32-Inch O.E. Wrench
1	245 3/8-Inch-7/16-Inch O.E. Wrench
1	R-3883 Carrying Case (Preceding
-	Items Packed in This Case)
For use	in checking and adjusting ESS apparatus.