
NONCODED TOOLS MISCELLANEOUS TOOLS DESCRIPTION


TOOL, WINDING, CALCULAGRAPH, AT&T Co. DWG 38-X-2022. Replaced by the Calculagraph Co. No. 135 winding tool.

TOOL, WINDING, CALCULAGRAPH CO. NO. 135




Includes the No. 27 key pipe.

For use in winding Model 6 Calculagraphs. TOOL, KS-14409



For use in tuning microwave cavities in the TD-2 Radio Systems.

TOOL, KS-14540 (In ordering, specify list number desired.)





Protector Spring Supporter

	Dimensions		
<u>List Number</u>	<u>A</u>	<u>"B"</u>	" <u>C</u> "
1 2	2.375" 2,320"	1-1/8" 1-1/8"	1/2" 1/2"

List 1 - For supporting springs of the 1177C and E-type protectors when protector blocks are removed.


List 2 - For supporting springs of the 1268- and 1269-type protectors when protector blocks are removed.





Number Plate Remover

For use in removing KS-14534 Number Plates from protector springs on main distributing frames. TOOL, WRAPPING, WIRE, KS-16363, L1



The following wrapping bits and stationary sleeves must be ordered separately for use with this tool:

KS-1673), Ll Wrapping Bit (red band) for 22 DF 24-gauge wire. KS-16903, Ll Wrapping Bit (green band) for 26

KS-16903, Ll Wrapping Bit (green band) for 26 gauge wire.

- KS-16363, L30 Stationary Sleeve (yellow band) for 24 gauge wire.
- KS-16363, L31 Stationary Sleeve (blue band) for 22 gauge wire.
- KS-16363, L32 Stationary Sleeve (green band) for 26 gauge wire.
- KS-16363, L33 Stationary Sleeve (red band) for 22 or 24 gauge wire.

Refer to Section 074-520-101 for the wrapping bits and to Section 074-775-101 for the stationary sleeves.

For use in making solderless wrapped connections.

TOOL, UNWRAPPING, WIRE, KS-16492, L1 Replaced by KS-16492-List 2, Wire Unwrapping Tool.

TOOL, UNWRAPPING, WIRE, KS-16492, L2



For use in removing solderless wrapped connections made with 22, 24 and 26 gauge wire on terminals arranged for solderless wrapped connections.

→ UNWRAPPER, KS-16450, L1 (In ordering, specify list number desired.) KS-16368-LI TRANSFORMER List Numbers 10 Unwrapping Bit 11 Handle 12 Cable 13 14 Nut Cable Swivel Replacement procedures for these parts are covered in Section 075-121-802. For use in removing solderless wrapped connections. TOOL, KS-16567

OVERALL LENGTH APPROX. 4 $\frac{1}{2}$

Protector Unit Wrench

For use in turning the protector units in the 121-type protectors.

TOOL, D-176938 Replaced by the 643A tool.

TOOL, D-176939 Replaced by the 643B tool. TOOL, D-176940 Replaced by the 644A tool.

TOOL, D-178120 Replaced by the 346B tool.

TOOL, D-178122 Replaced by the 224 tool

TOOL, D-178123 Replaced by the 646A tool.

TOOL, D-178346 Replaced by the 650A tool.

TOOL, D-178347 Replaced by the 648A tool. TOOL, D-178348 Replaced by the 535B tool. TOOL, D-178349 Replaced by the 371B tool. TOOL, D-178352 Replaced by the 642A tool. TOOL, D-178386 Replaced by the 649A tool. TOOL, D-178696 Replaced by the 647A tool.

TOOL, D-178699 Replaced by the 645A tool.