

CHARTS FOR DETERMINATION OF
INPUT IMPEDANCE OF NON-LOADED CABLE
WITH ANY TERMINATION
19 GAUGE ANB, DNB

1. GENERAL

1.01 This section contains charts for the determination of the input impedance of any length of 19-gauge ANB and DNB non-loaded cable with any termination. A description of the charts and an explanation of their use may be found in Section 304-015-100.

2. LIST OF CHARTS


| | <u>Page</u> |
|----------------------|-------------|
| 50 Cycles per Second | 2 |
| 100 " " " | 3 |
| 200 " " " | 4 |
| 300 " " " | 5 |
| 500 " " " | 6 |
| 1000 " " " | 7 |
| 2000 " " " | 8 |
| 3000 " " " | 9 |
| 5000 " " " | 10 |
| 8000 " " " | 11 |

INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

50 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE


WITH ANY TERMINATION

19 GAUGE ANB, DNB

100 CPS



INPUT IMPEDANCE OF NON-LOADED CABLE
WITH ANY TERMINATION
19 GAUGE ANB, DNB
200 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

300 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

500 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

1000 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

2000 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

3000 CPS




INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

5000 CPS



INPUT IMPEDANCE OF NON-LOADED CABLE

WITH ANY TERMINATION

19 GAUGE ANB, DNB

8000 CPS

