

CHARTS FOR DETERMINATION OF
INPUT IMPEDANCE OF NON-LOADED CABLE
WITH ANY TERMINATION
19-GAUGE CNB, ENB

1. GENERAL

1.01 This section contains charts for the determination of the input impedance of any length of 19-gauge CNB and ENB non-loaded cable with any termination. A description of the charts and an explanation of their use may be found in Section 304-015-100.

2. LIST OF CHARTS

	<u>Page</u>
50 Cycles per Second	2
100 " " "	3
200 " " "	4
300 " " "	5
500 " " "	6
1000 " " "	7
2000 " " "	8
3000 " " "	9
5000 " " "	10
8000 " " "	11


INPUT IMPEDANCE OF NON LOADED-CABLE

ISS 1, SECTION 304-017-100

WITH ANY TERMINATION

19 GAUGE CMB, ENB

50 CPS




INPUT IMPEDANCE OF NON LOADED-CABLE

ISS 1, SECTION 304-017-100

WITH ANY TERMINATION


19 GAUGE CNB, ENB

100 CPS



INPUT IMPEDANCE OF NON-LOADED CABLE
WITH ANY TERMINATION
19 GAUGE CNB, ENB
200 CPS


ISS 1, SECTION 304-017-100



WITH ANY TERMINATION


19 GAUGE CNB, ENB

300 CPS



INPUT IMPEDANCE OF NON-LOADED CABLE
WITH ANY TERMINATION
19 GAUGE CNB, ENB
500 CPS


ISS 1, SECTION 304-017-100



WITH ANY TERMINATION

19 GAUGE CNB, ENB


1000 CPS



WITH ANY TERMINATION


19 GAUGE CNB, ENB

2000 CPS



INPUT IMPEDANCE OF NON-LOADED CABLE
WITH ANY TERMINATION
19 GAUGE CNB, ENB
3000 CPS


ISS 1, SECTION 304-017-100



WITH ANY TERMINATION

19 GAUGE CNE, ENB

5000 CPS



INPUT IMPEDANCE OF NON-LOADED CABLE

ISS 1, SECTION 304-017-100

WITH ANY TERMINATION

19 GAUGE CNB, ENB

8000 CPS

