

NUMERICAL INDEX — DIVISION 480

PRIVATE SERVICE SYSTEMS

CUSTOMER EQUIPMENT

480-

480

1. GENERAL

1.01 This section provides an index of sections in Division 480.

j

| 1.02 | This section reverted to Issue 1 in April 1979. Prior to that date there had |
|------|--|
| | been 99 issues of the section. |

1.03 A bullet (•) indicates an item that has been added or changed since the previous issue of the index.

1.04 A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.

1.05 A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.

1.06 A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy practices. In some cases, the microfiche will reflect the next higher issue as a result of the reduced distribution interval.

1.07 A large asterisk (*) indicates an item pending transfer to Bell Communications Research, Inc. A pending-transfer item will be deleted upon reissue of this index provided the item has officially been transferred.

1.08 "Add" is the abbreviation for Addendum.

See Section 460-000-006 — Alphabetical Index for location of all sections relative to the installation and maintenance job.

2. LAYERS

2.01 This division is arranged in layers as follows:

- 480-0 Indexes
 - -1 Crash Alarm and Command Conference Systems
 - -2 Civil Defense Warning System (CDW) Station Equipment
 - -3 Group Alerting System Station Apparatus; 1A Telephone Warning System; 10A Alerting System; 11A Alerting System and KS-19557 Detector
 - -5 SAGE Systems 112A Key Equipment and SAC Main Operating Base Turret
 - -6 Private Line Terminations and Selective Signaling Systems
 - -7 Switching Systems Customer Equipment
 - -8 PBX Access AUTOVON

3. INDEX

| | Section Number | lssue | Subject |
|-------|----------------------|-------|---|
| 480-0 | INDEXES | | |
| • | • 480-000-000 | 15 | Numerical Index — Division 480 — Private Ser- vice Systems — Customer Equipment |
| | 480-010-100 | 2 | 4-Wire Private Line Circuit — Powered From Central Office SD-69902-01 — Identification, Connections, and Tests |
| * | 480-050-100 | 1 | Special Services — Direct Private Line Service In- terconnection Installation and Maintenance Re- sponsibilities for Private Line Service Directly Connected to a Customer and/or Other Com- mon Carrier Provided Communications System Channel. |

| | Section Number | lssue | Subject |
|-----|----------------------|-------|---|
| -1 | CRASH ALAR | | COMMAND CONFERENCE SYSTEMS |
| | 480-139-110 | 1 | General Description |
| | 480-139-500 | 2 | Crash Alarm Circuits — Operation Tests — 551A, 551B, 551D, 604C, 605A, 701A and 711A PBX |
| | 480-139-501 | 2 | Crash Alarm Circuits — Arranged for Continuous Test of Station Lines — Operation Tests — 701A or 711A PBX |
| | 480-139-520 | 2 | Command Conference Circuits — Operation Tests — 605A, 701A, and 711A PBX |
|)-2 | CIVIL DEFENS MENT | E WAI | RNING SYSTEM (CDW) — STATION EQUIP- |

| 480-210-100 | 6 | Identification |
|-------------|---|--|
| 480-210-200 | 4 | Bell and Lights — Installation and Maintenance |
| 480-210-400 | 4 | Bell and Lights — Connections |

480-3 GROUP ALERTING SYSTEM — STATION APPARATUS; 1A TELE-PHONE WARNING SYSTEM; 10A ALERTING SYSTEM; 11A ALERTING SYSTEM AND KS-19557 DETECTOR

480-310 Group Alerting System — Station Apparatus

| Add | 480-310-100 480-310-100 | 1 3 | Identification |
|-----|----------------------------|--------|------------------------------|
| | 480-310-200 | 4 | Installation and Maintenance |
| Add | 480-310-400 480-310-400 | 1 5 | Connections |

480-315 1A Telephone Warning System

| 480-315-100 | 1 | Identification, Installation, Connection, and Main- tenance |
|-------------|---|--|
| 480-315-500 | 2 | Tests |

480-316 10A Alerting System

| | 480-316-301 | 1 | Console — Method of Operation |
|-----|----------------------------|---|--|
| Add | 480-316-501 480-316-501 | | Periodic Maintenance and Overall Tests |

480-317 11A Alerting System

| 480-317-500 | 2 | Periodic Maintenance and Overall Tests |
|-------------|---|--|
|-------------|---|--|

480-5 SAGE SYSTEMS — 112A KEY EQUIPMENT AND SAC MAIN OP-ERATING BASE TURRET

| 480-510-100 | 4 | Description of Equipment Arrangements |
|-------------|---|--|
| 480-510-105 | 1 | Conference Circuit SD-69490-01 and Alternate Termination Transfer Circuit SD-69492-01 — Description of Operation |

AT&T TECHNOLOGIES, INC. - PROPRIETARY

AT&T 480-000-000

| | Section Num | | lssue | Subject | | Section Number | lssue | • |
|-----|----------------|----------------------------|---------|--|-------|----------------------------|--------|--------|
| Add | | 510-106 510-106 | 1 1 | Addressable Data Station Switching — Circuit SD-1G244-01, and Site Control Circuit SD- 1G246-01 — Identification, Operation, Main- | | 480-622-502 480-623-001 | 2 | s s |
| | 480-5 | 520-301 | 2 | tenance SAC Main Operating Base Turret — Method of | | 480-823-001 | 4 | J |
| | 480.4 | 520-501 | 1 | Operation SAC Main Operating Base Turret — Lineup and | | 480-623-002 | 1 | S |
| | | | | Overall Tests | | 480-625-210 | 2 | S |
| | TEMS | IE LINE | IEKMI | NATIONS AND SELECTIVE SIGNALING SYS- | | | | |
| 480 | | Station Central | | gement for 2- and 4-Wire No. 5 Crossbar Lines | | 480-630-210 | 1 | S |
| | 480-6 | 610-100 | 3 | Identification and Connections | 480-7 | SWITCHING S | YSTE | M: |
| 480 | | | | one Detector (AUTOVON) — Customer- or Station | | 480-707-301 | 1 | N |
| | | 511-100 | 1 | Identification, Connections, Maintenance | | 480-707-501 | 1 | |
| 480 | | | | sion and Anti-Sing Circuit SD-1G283-01 | | 480-708-301 | 4 | ~ |
| | | 612-100 | | Identification, Installation, Connection, and | | 480-709-301 | 4 | N |
| | | | | Line-Up Procedures | ¥ | 480-710-001 | | N |
| 480 | | 4-Wire F 515-100 | | Line Terminating Circuit, SD-69566-01 Identification, Installation, Connections, Lineup | | 480-710-100 | 4 | Ν |
| | | | · | Procedures | Add | 480-710-301 | 1 | |
| 480 | -616 | 4-Wire F | Private | Line Terminating Circuit, SD-69449-01 | | 480-710-301 | 3 | Γ |
| | 480-6 | 616-100 | 2 | Identification, Installation, and Connections | | 480-710-400 | 3 | Ν |
| 480 | -617 | 4-Wire F | Private | Line Terminating Circuit SD-1G297-01 | | 480-710-401 | 1 | Ν |
| | | 517-100 | | Identification, Installation, and Connections | | 480-710-501 | 1 | Ν |
| 480 | | | • | aling Systems | | 480-710-501 | ' | |
| | 480-6 | 521-200 | 2 | SS-1 — Identification, Installation, Connections, and Service Options — Private Line Telephone Service | Add | 480-711-500 480-711-500 | 1 2 | N |
| | 480-6 | 521-202 | 3 | SS-1 or SS-1A — 2-Digit Touch-Tone to Dial Pulse Conversion — Identification, Installation, Connections | | 480-712-100 | 1 | С |
| | 480-6 | 521-500 | 1 | SS1 — Operational Sketches and Sequence Charts — Private Line Telephone Service | | 480-713-100 | 1 | С |
| | 480-6 | 521-501 | 2 | SS1 — Overall Tests — Private Line Telephone Service | | 480-713-301 | 4 | 3 |
| | 480-6 | 521-502 | 3 | SS-1 — Decoder and Keyer — Detailed Tests — Private Line Telephone Service | | 480-713-500 | 2 | N |
| | 480-6 | 521-503 | 2 | SS-1 or SS-1A — 2-Digit Touch-Tone to Dial Pulse Conversion Equipment, Detailed Tests | | 480-713-501 | 1 | 3 |
| | 480-6 | 22-200 | 3 | SS-1A — Identification, Installation, Connections, Service Options — Private Line Telephone Ser- vice | | 480-714-101 | 2 | N |
| | 480-6 | 522-501 | 2 | SS-1A — Overall Tests — Private Line Telephone Service | | 480-714-102 | 2 | Ν |

| | Section Number | lssue | Subject |
|-----|----------------------------|--------|---|
| | 480-622-502 | 2 | SS-1A — Decoder and Keyer — Detailed Tests — Private Line Telephone Service |
| | 480-623-001 | 4 | SS-4 — With or Without Off-Network Access — Identification, Installation, and Connections — 4-Wire Private Line Telephone Service |
| | 480-623-002 | 1 | SS-4 Selective Signaling System — Maintenance — Private Line Telephone Service |
| | 480-625-210 | 2 | SS-3 TOUCH-TONE® — Identification, Installa- tion, Connections, Operational Tests and Main- tenance |
| | 480-630-210 | 1 | SS-3 Order Wire — Initial Lineup and Mainte- nance Tests |
| 0-7 | SWITCHING S | YSTEA | AS — CUSTOMER EQUIPMENT |
| | 480-707-301 | 1 | No. 302 — Method of Operation |
| | 480-707-501 | 1 | No. 302 — Tests, Inspections, and Line-Up |
| | 480-708-301 | 4 | No. 301A — Method of Operation |
| | 480-708-501 | 4 | No. 301A — Lineup and Overall Tests |
| | 480-709-301 | 1 | No. 301 — Method of Operation |
| ¥ | 480-710-001 | ۱ | No. 300 — Business Services Engineering |
| | 480-710-100 | 4 | No. 300 — Position Equipment Identification |
| Add | 480-710-301 480-710-301 | 1 3 | No. 300 — Method of Operation |
| | 480-710-400 | 3 | No. 300 — Sequence Charts and Operational Sketches — Land Line Operation |
| | 480-710-401 | 1 | No. 300 — Sequence Charts and Operational Sketches — Radio Line Operation |
| | 480-710-501 | 1 | No. 300 — Overall Tests Using J53026BN Por- table Test Box or J53026EW Portable Test Set Equipped With Dial Pulse Counter |
| Add | 480-711-500 480-711-500 | 1 2 | No. 304 — Overall Tests |
| | 480-712-100 | | Control and Display System Used in Conjunction With a 304 Switching System — Console Oper- ating Procedures |
| | 480-713-100 | 1 | Command Post Alerting Network (COPAN) Resi- dence Station Apparatus Used With No. 306 — Identification, Installation, and Connections |
| | 480-713-301 | 4 | 306 Console — Method of Operation |
| | 480-713-500 | 2 | No. 306 — Line-up and Overall Tests |
| | 480-713-501 | 1 | 306 — AUTOVON Access line Sharing Circuit — 2-Station, 2-Line Appearances — Descrip- tion, Lineup, and Testing |
| | 480-714-101 | 2 | No. 307 — 4-Wire CO Line Circuit Unit — De- scription |
| | 480-714-102 | 2 | No. 307 — Line Transfer Circuit Unit — Descrip- tion |

ISS 15, AT&T 480-000-000

| | Section Number | lssue | Subject | Section Number | lssue | Subject |
|-----|----------------------------|--------|--|-------------------|-------|---|
| | 480-714-103 | 1 | No. 307 — Sequence Circuit Unit — Description | 480-716-200 | 3 | No. 309 — Identification, Installation, Connec- |
| | 480-714-104 | 1 | No. 307 — Dual Access Switch — Description | | | tions, and Tests and Inspections During Installa- tion |
| Add | 480-714-105 480-714-105 | 1 2 | No. 307 — 2626A1 Telephone Set — Descrip- | 480-716-501 | 2 | No. 309 In-Service Operational Tests |
| | | | tion | 480-717-300 | 2 | No. 310 Console — Method of Operation |
| Add | 480-714-106 480-714-106 | 1 1 | No. 307 — Alarm Circuit Unit — Description | 480-717-500 | 4 | No. 310 — Line-Up and Overall Tests |
| | 480-714-200 | 3 | No. 307 — Installation | 480-720-100 | 2 | Modular Terminal Communication System (MTCS) — Installation, Connections, and Lineup Proce- |
| Add | 480-714-301 | 1 | N. 007 | | | dures |
| | 480-714-301 | 1 | No. 307 — 4-Wire CO Line Circuit Unit — Maintenance Tests | 480-720-101 | 1 | Modular Terminal — Communication System — Maintenance |
| | 480-714-302 | 2 | No. 307 — Line Transfer Circuit Unit — Mainte- nance Tests | 480-720-200 | 2 | Modular Terminal Communication System (MTCS) — Method of Operation |
| | 480-714-303 | 1 | No. 307 — Sequence Circuit Unit — Mainte- nance Tests 48 | 0-8 PBX ACCESS | – AU | TOVON |
| | 480-714-304 | 1 | No. 307 — Dual Access Switch — Maintenance Tests | 480-801-100 | 1 | Telephone Consoles — Type F-60833 (No. 2 Electronic Switching System ESS AUTOVON) — Identification, Installation, and Maintenance |
| | 480-714-305 | 1 | No. 307 — 2626A1 Key Telephone Set — Maintenance Tests | 480-801-110 | 1 | No. 2 Electronic Switching System (ESS) Centrex — Autovon |
| | 480-714-306 | 1 | No. 307 — Alarm Circuit — Maintenance Tests | | | - Autovon |
| | 480-714-500 | 2 | No. 307 — Station Test Procedures | 480-801-300 | 1 | 812A — Attendant Console (155A6E-03L) — Method of Operation |
| | 480-714-501 | 1 | No. 307 — Out-of-Service Test — Procedures for High-Speed Send/Receive (HS S/R) Station | 480-801-500 | 1 | 812A — Initial Lineup and Maintenance Tests |