

MODIFICATION KITS—SELECTION

1. GENERAL

1.01 This section is reissued to:

- Revise Tables A, B, C, D, G, J, L, M, O, P, Q, T, U, W, X, Y
- Add Table Z

1.02 Modification kits available for field installation are listed in tables as follows:

Table A—Kits For 500, 1500, 2200, and 2500 Series Telephone Sets

Table B—Kits For 630, 1630, and 2630 Series—CALL DIRECTOR® Telephone Sets

Table C—Kits For 660, 1660, and 2660 Series—Card Dialer Telephone Sets

Table D—Kits For 700-, 1700-, and 2700-Type—PRINCESS® Telephone Sets

Table E—Kits For 750, 1750, and 2750 Series—Panel Telephone Sets

Table F—Kits For 1671- and 2671-Type—CALL-A-MATIC® Telephone Sets

Table G—Kits For 832-, 833-, 2832-, and 2833-Type Telephone Sets

Table H—Kits For 851-, 852-, 2851-, and 2852-Type Telephone Sets

Table I—Kits For 870-, 872-, 2870, and 2872-Type Telephone Sets

Table J—Kit for AC- and AD-Type Telephone Bases

Table K—Kits For Coin Collector/Telephones

Table L—Kits For Subscriber Sets

Table M—Kits For Key Installations

Table N—Kits For Dials

Table O—Kits For Station Ringers

Table P—Kits For Customer-Owned Antique-Decorator Telephone Sets

Table Q—Miscellaneous Kits

Table R—Kits For 4A Speakerphone

Table S—Kits For 830-, 831-, 2830-, and 2831-Type Telephone Sets

Table T—Kits For 836-, 837-, 2836-, and 2837-Type Telephone Sets

Table U—Kits for DESIGN LINE* Telephone Sets

Table Z—Kit For 5000AM and 5100AM Transaction Telephone Set Bases

*Trademark of AT&T.

1.03 Kits should be ordered by the nomenclature shown in the first column of each table. Additional information for ordering and installing kits may be found in the particular section for the associated apparatus.

1.04 Table V is a color ordering guide for housings, faceplates, and mats. Refer to Table W, X, or Y for particular piece part or comcode number color information.

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

◆TABLE A◆

KITS FOR 500, 1500, 2200, AND 2500 SERIES TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS *
D-179922 Kit of Parts	Replacement lamp and installation instructions	500H, PR, UR, and 501PR and UR tel sets
D-179935 Kit of Parts	Provide exclusion feature	565GK-, HK-, and LK-, 1563HB-, 2563HB-, 1565-, and 2565-type tel sets
D-179968 Kit of Parts	Screw type lamp socket for visual station busy indication	514B tel set and 514BM tel set
D-179969 Kit of Parts	Bayonet type lamp socket for visual ringing indication	
D-180405 Kit of Parts	Extension for semipublic coin telephone station	Nondial 500-type desk tel set
D-180406 Kit of Parts		Nondial 550-type wall tel set
D-179973 Kit of Parts	Spark suppression of dial contract	501FR and 501FM tel set
812061638 (P-20F163) Heater Assembly	Use with 1A and 1B tel reporting sets where cold temperatures prevail	KS-16886L2 transformer
Housing Assembly (Table V and W)	Housing required when converting associated 10-button TOUCH-TONE [®] dial sets to 12-button dials	1558-type tel set
Housing Assembly (Table V and W)		1554-type tel set
Faceplate Assembly (Table V and W)	Faceplates required when converting associated 10-button TOUCH-TONE dial sets to 12-button dials	1500D/DM, 1500M/MM, 1500S/SM, and 1502B/BM tel sets
Faceplate Assembly (Table V and X)		1500Y/YM, 1510F/FM, 1511F/FM, and 1511H/HM tel sets
Faceplate Assembly (Table V and X)		1514B/BM tel sets
Faceplate Assembly (Table V and X)		1565-type tel set
819040528 (P-90D052) Guard Assembly	Maintain correct line polarity to accomplish end-to-end signaling	1500- and 2500-type tel set
D-180190 Guard Assembly		1554B and 2554B tel sets (with slotted base Plate Flange only)
D-180382 Kit of Parts	Parts to convert housing to a locked set	526A tel set
D-180383 Kit of Parts	Provide exclusion feature	526A, 526B, and 2526B tel set
D-180384 Kit of Parts	Provide for 2-line pickup	
D-180385 Kit of Parts	Parts to convert base to set equipped with an electric lock	
D-180386 Kit of Parts	Parts to convert base for use by personnel at TD2 radio towers	526A tel set
840359400 Guard Assembly	Maintain correct line polarity to accomplish end-to-end signaling	2211-type and 2212L hand tel set
D-180469 Kit of Parts	Parts to convert sets for use with line concentrator system with or without long line circuit or selective routing.	570J and K

◆ TABLE A (Cont) ◆

KITS FOR 500, 1500, 2200, AND 2500 SERIES TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS *
D-180547 Guard Assembly	Maintain correct line polarity to accomplish end-to-end signaling	2554-, 2555-, 2558-type tel sets
D-180557 Kit of Parts	Prevent the 51A lamps from loosening in the socket by shock and vibration due to handling	564HL, 565HK-, and GK-, 1565HK, 2565HK-, and GK-, 568HN, 580A, and 2580A tel sets
D-180644 Kit of Parts	Adds 1035C3A TOUCH-TONE dial adjunct	554-, 555-, 556-, and 558-type tel sets
D-180662 Capacitor Assembly	840362495 capacitor prevents high frequency oscillations in certain head telephone sets	514- and 2514-type tel sets (241B AMP)
D-180810 Kit of Parts	To provide exclusion feature	502- and 2502-type tel sets

* All set codes beginning with 1 denote 10 button dial sets which are rated MD.

◆TABLE B◆

KITS FOR 630, 1630, AND 2630 SERIES – CALL DIRECTOR TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS *
220A1-†Faceplate	Faceplates required when converting associated 10-button TOUCH-TONE dial sets to 12-button dials	1630D1, D2, D6, D7, D9, D10; 1632C1, C2, C6, C7; and 1634D1, D2, D6, D7, D9, D10 telephone sets
220B1-†Faceplate		1630D4, 1632C4, and 1634D4 telephone sets
220C1-†Faceplate		1630D11, D13; 1632C11, C13; and 1634D11, D13 telephone sets
220D1-†Faceplate		1630D12, 1632C12, and 1634D12 telephone sets
220E1-†Faceplate		1636C1, C2, C6, C7, C9, C10 and 1638C1, C2, C6, C7, C9, C10 telephone sets
220F1-†Faceplate		1636C4 and 1638C4 telephone sets
220H1-†Faceplate		1636C14 and C15 telephone sets
220J1-†Faceplate		1630D14, D15 and 1632C14, C15 telephone sets
221A1-†Faceplate		1631D1, D2, D3, D10-D15 and 1635D1, D2, D3, D10, D11, D12 telephone sets
221B1-†Faceplate		1631D4 and 1635D4 telephone sets
221C1-†Faceplate		1631D16, D17 and 1635D16, D17 telephone sets
221D1-†Faceplate		1631D18 and 1635D18 telephone sets
221E1-†Faceplate		1631D5 telephone set
221F1-†Faceplate		1631D9 and D19 telephone sets
221G1-†Faceplate		1637D1, D2, D3, D10-15, and 1639D1, D2, D3, D10, D11, D12 telephone sets
221H1-†Faceplate		1637D4 and 1639D4 telephone sets
221J1-†Faceplate		1637D5 telephone set
221K1-†Faceplate		1637D9 and D19 telephone sets
D-180196 Kit of Parts		Suppress noise for 667B transmitter
819041971 (P-90D197) Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	CALL DIRECTOR telephone sets (except 3640 series) equipped with TOUCH-TONE dial
819040338 (P-90D033) Printed Wiring Board Assy	Provide station busy lamp feature for sets equipped with 598- or 656-type keys and headset jacks	CALL DIRECTOR telephone sets "D" series
D-180252 Kit of Parts	Probe guide which permits use of J53128 lamp signal detector	CALL DIRECTOR telephone sets
D-180463 Kit of Parts	Provide station busy lamp feature in sets equipped with 635-type keys and headset jacks	CALL DIRECTOR telephone sets "DA" series

* All set codes beginning with 1 denote 10 button dial sets which are rated MD.

† Add color suffix for last two digits of part number, Table V.

◆ TABLE C ◆

KITS FOR 660, 1660, AND 2660 SERIES – CARD DIALER TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS*
D-180124 thru D-180131, D-180341 and D-180342 Kit of Parts†	Provide parts to add 2-line PU and hold on either line of associated sets	1660A1 and 1660B1 tel sets
D-180284 thru D-180289, D-180291, and D-180292 Kit of Parts†		2660A1 and 2660A1M tel sets
D-180138 thru D-180145 Kit of Parts†	Provide parts to add exclusion feature to the associated sets	1660A1 and 1660B1 tel sets
D-180162 thru D-180169 Kit of Parts†		1662A1, A2, A3 and 1662B1, B2, B3 tel sets
D-180178 thru D-180181, D-180183, D-180184, D-180335, D-180336, and D-180609 thru D-180616 Kit of Parts†		662A1, A2, A3, and 662A1M tel sets
D-180265 thru D-180269, D-180271, D-180272, and D-180353 Kit of Parts†		660A1 and 660A1M tel sets
D-180197 thru D-180200, D-180202, D-180203, D-180278, and D-180279 Kit of Parts†		2660A1 and 2660A1M tel sets
D-180221 thru D-180228, D-180339, D-180340, and D-180617 thru D-180624 Kit of Parts†		2662A1, A2, A3, and 2662A1M tel sets
D-180146 thru D-180153 Kit of Parts†		Provide parts to add 2-line PU and signaling to the associated sets
D-180205 thru D-180208, D-180210, D-180211, D-180280, and D-180281 Kit of Parts†	2660A1 and 2660A1M tel sets	
D-180154 thru D-180161 Kit of Parts†	Provide parts to add 2-line PU and exclusion to the associated sets	1660A1 and 1660B1 tel sets
D-180213 thru D-180216, D-180218, D-180219, D-180282, and D-180283 Kit of Parts†		2660A1 and 2660A1M tel sets
Faceplate (Table V and X)	Faceplates required when convert- ing associated 10-button TOUCH- TONE dial sets to 12-button sets	1660B1 tel sets
		1660B2 tel sets
		1660B4 tel sets
		1660B3 tel sets
	Faceplates required when convert- ing associated 10-button TOUCH- TONE dial sets to 12-button sets	1663B1 tel sets
		1662B1, B2, and B3 tel sets
		1662B4, B5, and B6 tel sets
		1664B1, B2, and B3 tel sets
D-180250 Kit of Parts	Maintain correct line polarity to accomplish end-to-end signaling	1660A- and 2660A1M tel sets
P-90D012 or 819040122 Guard Assy		1660B, 1662B, 1663B, 1664B, 2660A, 2660A1M, 2662A, 2663A, and 2664A tel sets
D-180337 Kit of Parts	Provide parts to add exclusion feature to the associated sets	1662A4, A5, and A6
D-180338 Kit of Parts		1662B4, B5, and B6

*All set codes beginning with 1 denote 10-button dial sets which are rated MD.

TABLE D
KITS FOR 700-, 1700-, AND 2700-TYPE – PRINCESS TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS*
D-179919 Kit of Parts	Replacement lamp and installation instructions.	700-, 1700-, and 2700-type telephone sets
D-179924 Kit of Parts	Lead weights to place in sets for dialing stability	701-type (MD) telephone sets
D-180229 Kit of Parts	Maintain correct line polarity to accomplish end-to-end signaling	1702B, 1713B, 2702B, and 2713B telephone sets
P-90D054 or 819040544 Guard Assy		1702D, 1712B, 2702D, and 2712B telephone sets
Housing (Table V and W)	Housing required when converting associated 10-button TOUCH-TONE dial sets to 12-button dials	1702B telephone sets
		1712B and 1713B telephone sets
		1702D telephone sets

*All set codes beginning with 1 denote 10-button dial sets which are rated MD.

TABLE E
KITS FOR 750, 1750, AND 2700 SERIES – PANEL TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS*
D-179941 Kit of Parts	Parts necessary to mount a 113E apparatus box in a wall	750, 1750, and 2750 series telephone sets
D-180039 Kit of Parts	Parts necessary to mount the associated telephone sets in a 113E apparatus box	752A-58, 1752A-58, 2752A-58, 754A-58, and 2754A-58 panel telephone sets
D-180040 Kit of Parts		752B-60, 1752B-60, 2752B-60, 754B-60 and 2754B-60 panel telephone sets
D-180071 Kit of Parts	Parts necessary to mount associated panel sets directly on a wall surface	750A-58, 751C-58, 753A-58, 1750A-58, 1751C-58, 1753A-58, 2750A-58, 2751C-58, and 2753A-58 panel telephone sets
D-180072 Kit of Parts	Parts necessary to mount associated panel sets directly on a wall surface	750B-60, 751D-60, 753B-60, 1750B-60, 1751D-60, 1753B-60, 2750B-60, 2751D-60, and 2753B-60 panel telephone sets
P-21F788 or 812167880 Alum Mat	Faceplate required when converting associated 10-button TOUCH-TONE dial sets to 12-button dials	1750-type telephone set
P-21F789 or 812167898 Copper Mat		1751- and 1753-type telephone sets
P-21F790 or 812167906 Alum Mat		
P-21F791 or 812167914 Copper Mat		
P-21F792 or 812167922 Alum Mat		1752-type telephone sets
P-21F793 or 812167930 Copper Mat		
P-90D060 or 819040601 Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	1750-, 1751-, 1753-, 2750-, 2751-, and 2753-type telephone sets
P-90D061 or 819040619 Guard Assy		1752-, 2752-, and 2754-type telephone sets

*All set codes beginning with 1 denote 10-button dial sets which are rated MD.

TABLE F
KITS FOR 1671- AND 2671-TYPE – CALL-A-MATIC TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
P-90D012 or 819040122 Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	1671- and 2671-type tel sets
P-90D234 or 819042342 Relay Assy	With external speakerphone option	2671B1M tel set

◆ **TABLE G** ◆

KITS FOR 832-, 833-, 2832-, AND 2833-TYPE TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180486 Kit of Parts	Lockout Circuit PWB Assembly provide privacy feature. Prevents a station from bridging in to a CO/PBX call in progress	832A, BH, CM, 2832A, B, BM, 2833B, and BM tel sets associated with 7A and 14A communication system
D-180656 Kit of Parts	Provides a wall shelf mounting arrangement	832-, 833-, 2832-, and 2833- type tel sets associated with 7A and 14A communication system

TABLE H

KITS FOR 851-, 852-, 2851-, AND 2852-TYPE TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
P-90D170 or 819041708 Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	2851- and 2852-type tel sets
P-21F938 or 812169381 Excn sw Assy	Provides exclusion feature	851- and/or 2851-type tel set
D-180375 Kit of Parts	Adapter cable assembly for installations supplied by an A25B connector cable	

TABLE I

KITS FOR 870-, 872-, 2870-, AND 2872-TYPE TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180492 Kit of Parts	For speakerphone option	2870- and 2872-type tel sets
D-180493 Kit of Parts	Provide one-touch repertory dialing when speakerphone is used	870-, 872-, 2870-, and 2872-type tel sets
D-180494 Kit of Parts	Adds 4-wire option	872- and 2872-type tel sets
D-180568 Kit of Parts	For speakerphone option	870- and 872-type tel sets

◆ TABLE J ◆

KIT FOR AC- AND AD-TYPE TELEPHONE BASES

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180788 Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	2220B TRIMLINE® hand tel set
D-180625 Kit of Parts	Automatic number identification feature AC1 and AD1 tel bases	220C, 220AL, and 2220C hand tel set

TABLE K
KITS FOR COIN COLLECTOR/TELEPHONES

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180009 Kit of Parts	Prevent fraudulent jamming of line switch	200-series coin collectors
D-180042 Kit of Parts	Modify coin collector/telephone housing to add coin level detection	Coin collector/telephones
D-180068 Kit of Parts	Provide parts required to use 685A subscriber set	1234G coin collector
D-180110 Kit of Parts	Modify coin box to add coin level detection	Coin collector/telephones
D-180120 Kit of Parts	Modify backplate assemblies to accept 4010B network and G1C ringer	190- and 200-series coin collectors
D-180121 Kit of Parts	Modify upper housing to accept 4010B network and G1C ringer	
D-180327 Kit of Parts	An unbalanced noise suppressor for the coin chute electromagnet	200-series coin collectors
D-180352 Kit of Parts	To add Dial Tone First and automatic nickel local overtime features	190-, 200-, and 1200 series coin collectors
D-180396 Kit of Parts	Parts to convert P-20A117-122 coin chute assembly to fraud resistant 840147904 coin chute assembly	Coin collector/telephone
D-180410 Kit of Parts	A replaceable vane for coin telephone sets where the vane in the coin hopper has been broken	Coin collector/telephone
D-180415 Kit of Parts	Parts for maintenance and security improvement of coin telephones	Coin telephone
D-180442 Kit of Parts	To be used with single slot coin telephone sets to minimize fraud when auxiliary ringer is required	Coin telephone

TABLE L
KITS FOR SUBSCRIBER SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-179948 Kit of Parts	Provide louder ringer	689A subscriber set
D-179997 Kit of Parts	Provides parts to mount set on wall	694A subscriber set
D-180033 Kit of Parts	Provides parts to convert 694A to 694B subscriber set	694A subscriber set
Mat (Table V and Y)	Coordinated color mats for use with associated subscriber sets	361A faceplate with 690-type subscriber set
		1361A faceplate with 1690-type subscriber set
		222A1 faceplate with 2690-type subscriber set
P-90D095 or 819040957 Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	1690-* and 2690-type subscriber sets

*MD

TABLE M
KITS FOR KEY INSTALLATIONS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS*
D-180085	Coordinated color mats for use with associated key mountings †	420A1 Key Mounting
D-180087		420A2 Key Mounting
D-180086		421A1 Key Mounting
D-180088		422A1 Key Mounting
D-180089		421A2 Key Mounting
D-180090		431A1 Key Mounting
D-180091		430A2 Key Mounting
D-180092		432A1 Key Mounting
D-180093		431A2 Key Mounting
D-180094		423A2 Key Mounting
D-180096		424A2 Key Mounting
D-180097		423A3 Key Mounting
D-180101		425A3 Key Mounting
D-180099		424A3 Key Mounting
D-188098		425A2 Key Mounting
D-180095		421A3 Key Mounting
D-180103		420A3 Key Mounting
D-180100		426A2 Key Mounting
D-180109		1420A3 Key Mounting
D-180104		1421A3 Key Mounting
D-180105		1423A3 Key Mounting
D-180106		1424A3 Key Mounting
D-180107		1425A3 Key Mounting
D-180395		2420A3 Key Mounting
D-180391		2421A3 Key Mounting
D-180392		2423A3 Key Mounting
D-180393		2424A3 Key Mounting
D-180394	2425A3 Key Mounting	
D-180557 Kit of Parts	Prevent the 51A lamps from loosening in the socket by shock and vibration due to handling	6040G Key 6041G Key

*Key mounting codes beginning with 1 denote 10-button dial which is rated MD.

† Kit includes all mats available in coordinated colors.

TABLE N
KITS FOR DIALS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180115 Kit of Parts	Material and parts required to convert convertible 10-button TOUCH-TONE dials to 12-button dials	25-type dials
D-180116 Kit of Parts		25-type illuminated dials
P-21F244 or 812162444 Finger Stop	Use when replacing P-19B524 fingerwheel with P-11E007 fingerwheel	7-type dials
D-180351 Kit of Parts	Converts 7C (MD) or 7D (MD) dials to 7F dial	7C(MD) and 7D(MD) dials
D-180232 and D-180233 Kit of Parts	Snap-on caps for special service buttons whose designations are to be changed by customer, D-180232 Red, D-180233 Gray	66A3A, 66B3A, 66C3A, and 66D3A TOUCH-TONE dials

◆ TABLE O ◆

KIT FOR STATION RINGERS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180036 Ringer Isolator	Parts required to isolate ringer from line except during ringing cycle	All grounded ringers except those used in 4-party full-selective and 8-party semi-selective ringing service
D-180489 Kit of Parts	On noisy lines where tip party identification is provided	500-, 554-, 702-, 2500-, 2554-, and 2702-type tel sets
D-180697 Kit of Parts	426N diode for 4- and 8-party selective ringing	2554- and 2702-type tel sets also AC- and AD-type tel set base

◆ TABLE P ◆

KITS FOR CUSTOMER-OWNED ANTIQUE-DECORATOR TELEPHONE SETS*

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180069 Kit of Parts	Assembles T-1 transmitter unit at front end of horn assembly (Black)	F-56659 and F-56660 telephone sets or 581A telephone set bases
D-180070 Kit of Parts	Assembles T-1 transmitter unit at front end of horn assembly (Ivory)	
D-180192 Kit of Parts	Mounts T-1 transmitter within the transmitter faceplate and shell	
D-180194 Kit of Parts	Converts D-08 handset to install U-receiver unit (deep shell design)	
D-180195 Kit of Parts	Converts D-08 handset to install U-receiver unit (shallow shell design)	
D-180137 Adapter, Dial	Adapts 6J, F-56661 or F-56662 and 6T or 6U dial to dial mounting of D-8 telephone housing	
D-180409 Kit of Parts	For use in decorator telephone sets requiring amplification of T-1 transmitter. Installation assembly included in kit of parts	581A telephone set base
D-180460 Kit of Parts	Parts to add TOUCH-TONE ® dial capability	581A telephone set base
D-180461 Kit of Parts	Conversion parts used when a polarity guard is required	581A telephone set base
D-180778 Kit of Parts	Permits use of modular mounting cord	581A telephone set base

* Kits contain conversion components for distributing house modification—information is furnished for field maintenance.

◆TABLE Q◆

MISCELLANEOUS KITS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180006 Kit of Parts	Limits receiver gain from 3A speakerphone when connected to 2A communication system	55-type control unit
D-180252 Kit of Parts	Probe guide which permits use of J-53128 lamp signal detector	Console type telephone sets
D-180313 Kit of Parts	Cover screen, keeps insects and birds out of outdoor mounted L1A ringer protection cover	181A backboard
D-180362 Kit of Parts	Replaces HA1 and HA7 receiver unit	F-type handset
D-180380 Kit of Parts	Allows neon glow lamp to be used	1A or 2A indicator base
D-180411 Kit of Parts	To add supplementary hold	CALL DIRECTOR sets having 635-type keys
D-180417 Kit of Parts	Replaces HC6 receiver	52-type headset
D-180418 Kit of Parts		53-type headset
D-180419 Kit of Parts	Replaces HA1 and HA7 receiver unit	716A and 716D receivers
D-180436 Kit of Parts	Replaces HA2 and HA8 receiver unit	716B and 716E receivers
D-180437 Kit of Parts	Replaces HA3 and HA9 receiver unit	716F receiver
D-180438(MD) or D-180753 Kit of Parts	Replaces HA4 or 812367910 (P-23F791) receiver unit	716C, 717A, and 718A receivers
D-180439 Kit of Parts	Replaces HA10 receiver unit	716J receiver
D-180444 Kit of Parts	Replaces HA1 or 814458188 (P-44E818) receiver units	718B receiver
D-180446 Kit of Parts	Replaces HA2 and HA8 receiver units	F-type handset
D-180449 Kit of Parts	Replaces HA3 and HA9 receiver units	F-type handset
D-180457 Kit of Parts	Converts the 153B amplifier into a transmitter gain amplifier for persons with weak speech who must use operator's headsets	153B amplifier
D-180462 Kit of Parts	A plastic tube used to slide over illuminated buttons to prevent stray light emission to adjacent buttons.	All console DSS fields
D-180793 Kit of Parts	Jack and terminal board used to connect CO line to telephone base via the M4AR cord	AL1 telephone base

TABLE R
KITS FOR 4A SPEAKERPHONE

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180507 (Black) Kit of Parts	Provides 1-Housing, 1-Cap Button and 1-Stationary Button of colored detailed part for conversion of the 4A Speakerphone units to the desired color.	4A Speakerphone
D-180508 (Ivory) Kit of Parts		
D-180509 (Moss Green) Kit of Parts		
D-180510 (Red) Kit of Parts		
D-180511 (Yellow) Kit of Parts		
D-180512 (White) Kit of Parts		
D-180513 (Light Beige) Kit of Parts		
D-180514 (Light Gray) Kit of Parts		
D-180515 (Aqua Blue) Kit of Parts		

TABLE S
KITS FOR 830-, 831-, 2830-, AND 2831-TYPE TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
P-90D170 or 819041708 Guard Assy	Maintain correct line polarity to accomplish end-to-end signaling	2830- and 2831-type tel sets
D-180656 Kit of Parts	Provides a wall shelf mounting arrangement	830-, 831-, 2830-, and 2831- type tel sets

◆ **TABLE T** ◆
KITS FOR 836-, 837-, 2836-, AND 2837-TYPE TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180658 Kit of Parts	Provides wall mounting arrangement	837AM and 2837AM tel sets
D-180604 Kit of Parts	Privacy feature for Small Telephone System (STS)	836AM, 837AM, 2836AM, and 2837AM tel sets
D-180605 Kit of Parts	Music-on-Hold feature for STS	836AM and 2836AM tel sets

♦TABLE U♦

KITS FOR *DESIGN LINE** TELEPHONE SETS

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180229 Kit of Parts	To maintain correct line polarity for end-to-end signaling	2921A (manufactured prior to 2-75) tel set
D-180461 Kit of Parts		2910A tel set
D-180503 Guard Assy		2930A tel set
D-180600 Kit of Parts	Packing material and instructions for return of defective or removed sets to Western Electric Co. for repair.	881-, 2881-, 882-, 900-, 2900-, 910-, 2910-, 921-, 2921-, 930-, 2930-, 931-, 2931-, 902-, 2902-, and 940-type tel sets
D-180779 Kit of Parts		881B109 and 2881B109 tel set
819040122 (P-90D012) Guard Assy	To maintain correct line polarity for end-to-end signaling	2881A100, 2881A101, 2881B100, 2881B101, 2881B110, 2902A1, 2930B, and 2931B tel sets
819040528 (P-90D052) Guard Assy		2881B109 tel set
819041708 (P-90D170) Guard Assy		2921A, 2921B, (manufactured after 1-75) 2900A, and 2900B tel sets

* Trademark of AT&T Co.

TABLE V

COLOR ORDERING GUIDE (HOUSINGS, FACEPLATES, AND MATS)

HOUSING	COLOR CODE	COORDINATED COLOR FACEPLATE	COLOR CODE	COORDINATED COLOR MAT	COLOR CODE
Black	-03	Charcoal	-70		
Ivory	-50	Muted Ivory	-80		
Green	-51	Lt. Green	-71		
Red	-53	Muted Red	-69	Silver	-78
Yellow	-56	Lt. Yellow	-72	Gold	-79
White	-58	Lt. Gray	-73		
Pink	-59	Muted Pink	-74		
Lt. Beige	-60	Muted Beige	-75		
Aqua Blue	-62	Muted Blue	-76		

◆ TABLE W ◆

HOUSING ASSEMBLY

TEL SET	P-NUMBER*	COM CODE†	TEL SET	P-NUMBER*	COM CODE†
1558D Tel Sets MD	P-80H903	818089039	1712B and 1713B Tel Sets MD	P-84D903	818449035
	P-80H950	818089500		P-84D950	818449506
	P-80H951	818089518		P-84D951	818449514
	P-80H953	818089534		P-84D953	818449530
	P-80H956	818089567		P-84D956	818449563
	P-80H958	818089583		P-84D958	818449589
	P-80H960	818089609		P-84D959	818449597
	P-80H962	818089625		P-84D960	818449605
1554B Tel Sets MD	P-82H603	818286031	1702D Tel Sets MD	P-84D962	818449621
	P-82H650	818286502		P-85H003	818580037
	P-82H651	818286510		P-85H050	818580508
	P-82H653	818286536		P-85H051	818580516
	P-82H656	818286569		P-85H053	818580532
	P-82H658	818286585		P-85H056	818580565
	P-82H660	818286601		P-85H058	818580581
	P-82H662	818286627		P-85H059	818580599
1702B Tel Sets MD	P-84D803	818448037	P-85H060	818580607	
	P-84D850	818448508	P-85H062	818580623	
	P-84D851	818448516			
	P-84D853	818448532			
	P-84D856	818448565			
	P-84D858	818448581			
	P-84D859	818448599			
	P-84D860	818448607			
P-84D862	818448623				

* Last two digits of P-number designates color code as shown in Table V.

† Seventh and eight digits of comcode number designates color code as shown in Table V.

◆ TABLE X ◆

COORDINATED COLOR FACEPLATES

TEL SET	P-NUMBER*	COM CODE†	TEL SET	P-NUMBER*	COM CODE†
1500D, 1500M, 1500S, and 1502B Tel Sets MD	P-86D570	818645707	1660B3 Tel Sets MD	P-87D170	818741704
	P-86D580	818645806		P-87D180	818741803
	P-86D571	818645715		P-87D171	818741712
	P-86D569	818645699		P-87D169	818741696
	P-86D572	818645723		P-87D172	818741720
	P-86D573	818645731		P-87D173	818741738
	P-86D575	818645756		P-87D175	818741753
	P-86D576	818645764		P-87D176	818741761
1500Y, 1510F, and 1511F Tel Sets MD	P-86D670	818646705	1660B4 Tel Sets MD	P-87D070	818740706
	P-86D680	818646804		P-87D080	818740805
	P-86D671	818646713		P-87D071	818740714
	P-86D669	818646697		P-87D069	818740698
	P-86D672	818646721		P-87D072	818740722
	P-86D673	818646739		P-87D073	818740730
	P-86D675	818646754		P-87D075	818740755
	P-86D676	818646762		P-87D076	818740763
1514- Type Tel Sets MD	P-84J970	828419705	1662B1, B2, and B3 Tel Sets MD	P-87D370	818743700
	P-84J980	828419804		P-87D380	818743809
	P-84J971	828419713		P-87D371	818743718
	P-84J969	828419697		P-87D369	818743692
	P-84J972	828419721		P-87D372	818743726
	P-84J973	828419739		P-87D373	818743734
	P-84J975	828419754		P-87D375	818743759
	P-84J976	828419762		P-87D376	818743767
1565-Type Tel Sets MD	P-86D770	818647703	1662B4, B5, and B6 Tel Sets MD	P-87D470	818744708
	P-86D780	818647802		P-87D480	818744807
	P-86D771	818647711		P-87D471	818744716
	P-86D769	818647695		P-87D469	818744690
	P-86D772	818647729		P-87D472	818744724
	P-86D773	818647737		P-87D473	818744732
	P-86D775	818647752		P-87D475	818744757
	P-86D776	818647760		P-87D476	818744765
1660B1 Tel Sets MD	P-86D870	818648701	1663B1 Tel Sets MD	P-87D270	818742702
	P-86D880	818648800		P-87D280	818742801
	P-86D871	818648719		P-87D271	818742710
	P-86D869	818648693		P-87D269	818742694
	P-86D872	818648727		P-87D272	818742728
	P-86D873	818648735		P-87D273	818742736
	P-86D875	818648750		P-87D275	818742751
	P-86D876	818648768		P-87D276	818742769
1660B2 Tel Sets MD	P-86D970	818649709	1664B1, B2, and B3 Tel Sets MD	P-87D570	818745705
	P-86D980	818649808		P-87D580	818745804
	P-86D971	818649717		P-87D571	818745713
	P-86D969	818649691		P-87D569	818745697
	P-86D972	818649725		P-87D572	818745721
	P-86D973	818649733		P-87D573	818745739
	P-86D975	818649758		P-87D575	818745754
	P-86D976	818649766		P-87D576	818745762

* Last two digits of P-number designates color code as shown in Table V.

† Seventh and eighth digits of comcode number designates color code as shown in Table V.

◆ TABLE Y ◆

COORDINATED COLOR MATS

SUBSCRIBER SET	P-NUMBER*	COM CODE†
690-Type (361A Faceplate)	P-86G870	818678708
	P-86G871	818678716
	P-86G872	818678724
	P-86G873	818678732
	P-86G875	818678757
	P-86G876	818678765
1690-Type (1361A Faceplate) MD	P-86G970	818679706
	P-86G971	818679714
	P-86G972	818679722
	P-86G973	818679730
	P-86G975	818679755
	P-86G976	818679763
2690-Type (222A1 Faceplate)	P-87J978	828719781
	P-87J979	828719799

* Last two digits of P-number designates color code as shown in Table V.

† Seventh and eighth digits of comcode number designates color code as shown in Table V.

◆ TABLE Z ◆

KITS FOR 5000AM AND 5100AM TRANSACTION TELEPHONE SET BASES

ORDERING GUIDE	PRINCIPAL USE	ASSOCIATED APPARATUS
D-180687 Kit of Parts	Auxiliary manual entry pad option	5000AM and 5100AM tel set bases