

ALPHABETICAL INDEX

A

- Alcove, directory** *See* Directory alcove
Apparatus blank *See* Coin collectors:
 combination of apparatus
Associated apparatus *See* coin collectors

B

- Blower, KS-14125** *See* Booths
Booth shelves *See* Shelves
Booths
 indoor
 advertising frames forC39.701
 blowers forC39.701
 conversions, additions, and
 changesC39.703, ¶10.00
 fans forC39.701
 identificationC39.701
 installationC39.703
 assembling and placingC39.703, ¶3.00
 cutout switchC39.703, ¶5.15, 5.16
 final checkC39.703, ¶12.00
 lighting equipment
 safety precautionsC39.703, ¶11.00
 testing polarityC39.703, ¶8.00
 locatingC39.703
 dimensionsC39.703, ¶2.01
 preliminary surveyC39.703, ¶2.01
 requirements, generalC39.703, ¶2.03
 parts or fixtures
 fasteners forC39.703, ¶10.00
 roto-lockC39.703, ¶9.02
 wiring
 electricC39.703, ¶5.00
 power receptacles ...C39.703, ¶5.05-5.14
 telephoneC39.703, ¶4.00
 maintenanceC39.707
 advertising frameC39.707, ¶7.00
 blowerC39.707, ¶8.00
 cleaningC39.707, ¶2.02-2.04
 doorC39.707, ¶3.00
 floorC39.707, ¶4.00
 lighting equipmentC39.707, ¶9.00

Booths—continued

- indoor
 maintenance
 liningsC39.707, ¶10.00
 seatC39.707, ¶5.00
 shelf, 18EC39.707, ¶6.00
 ventilatorC39.707, ¶8.00
 power cables, diagramsC39.701, Fig. 8
 5 and 6 type
 identificationC39.701, ¶3.00
 booth codesC39.701, ¶3.04
 installationC39.703
 ventilator,
 KS-8164C39.703, ¶11.04-11.09
 10 and 11 type
 identificationC39.701, ¶4.00
 booth codesC39.701, ¶4.04
 installationC39.703
 blower, KS-14125 .C39.703, ¶11.10, 11.11
 light fixturesC39.701
 outdoor
 identificationC39.702
 installationC39.705
 concrete baseC39.705
 requirements, generalC39.705, ¶4.00
 locationC39.705
 maintenanceC39.708
 No. 9
 identificationC39.702
 installationC39.705
 anchoringC39.705, ¶5.03
 door closer, automatic ...C39.705, ¶5.06
 door stopC39.705, ¶5.07
 multipleC39.705, ¶5.05
 maintenance
 cleaningC39.708, ¶3.01
 doorC39.708, ¶3.02
 glass and panelsC39.708, ¶3.03
 wiring
 electricC39.705, ¶5.13
 telephoneC39.705, ¶5.09-5.12
 KS-14611, List 2
 fluorescent lampsC39.705, ¶6.18-6.21
 identification, individual features..C39.702
 wiring (telephone) ...C39.705, ¶6.11, 6.12

SECTION C39.000

Booths—Coin collectors

Booths—continued

outdoor

KS-14611, List 3

fluorescent lamps C39.705, ¶6.22-6.24
 identification, individual features.. C39.702
 wiring (telephone) ... C39.705, ¶6.13-6.16

KS-14611, Lists 2 and 3

grounds C39.705, ¶6.25-6.29
 identification C39.702
 installation C39.705, ¶6.03-6.07
 advertising frame .. C39.705, ¶6.30-6.32
 anchoring C39.705
 directory C39.705, ¶6.02
 door operation C39.705, ¶6.08
 inspection C39.705, ¶6.33
 safety precautions C39.705
 tools for C39.705, ¶6.01
 maintenance C39.708
 binders C39.708, ¶4.04
 cleaning C39.708, ¶4.00
 directory C39.708, ¶4.04
 door operation C39.708, ¶4.01, 4.02
 inspection C39.708, ¶4.08
 lighting C39.708, ¶4.03
 panels C39.708, ¶4.04-4.07
 signs C39.708, ¶4.04-4.07
 wiring (electric) C39.705, ¶6.17

C

Cabinets, directory C39.715

Card holder See Coin collectors:
 combination of apparatus

Coin chute assembly See Coin collectors:
 combination of apparatus

Coin collectors

150K, L (postpay, manual)

common battery
 connections C39.135
 selection C39.003
 local battery
 connections C39.387
 selection C39.009
 magneto
 connections C39.419
 selection C39.015

152C, D (postpay, manual)

common battery
 connections C39.145
 selection C39.003

Coin collectors—continued

152C, D (postpay, manual)

local battery
 connections C39.393
 selection C39.009
 magneto
 connections C39.425
 selection C39.015

155C, D, G, H (prepay)

common battery
 connections C39.039
 selection C39.003

155CL, DL, GL, HL (prepay)

local battery
 connections C39.331
 selection C39.009

158G, H (postpay)

common battery
 connections C39.095
 selection C39.003

158GL, HL (postpay)

local battery
 connections C39.365
 selection C39.009

162A, B, C, D (postpay, manual)

common battery
 connections C39.135
 selection C39.003
 local battery
 connections C39.387
 selection C39.009
 magneto
 connections C39.419
 selection C39.015

164C, D (postpay, manual)

common battery
 connections C39.145
 selection C39.003
 local battery
 connections C39.393
 selection C39.009
 magneto
 connections C39.425
 selection C39.015

166C, D, G, H (prepay)

common battery
 connections C39.041
 selection C39.003

Coin collectors**Coin collectors—continued**

166CL, DL, GL, HL (prepay)	
local battery	
connections	C39.337
selection	C39.009
168G, H (postpay)	
common battery	
connections	C39.095
selection	C39.003
168GL, HL (postpay)	
local battery	
connections	C39.365
selection	C39.009
174C, D, G, H (prepay)	
common battery	
connections	C39.043
selection	C39.003
174CL, DL, GL, HL (prepay)	
local battery	
connections	C39.343
selection	C39.009
176C, D, G, H (prepay)	
common battery	
connections	C39.049
selection	C39.003
176CL, DL, GL, HL (prepay)	
local battery	
connections	C39.349
selection	C39.009
177G, H (postpay)	
common battery	
connections	C39.105
selection	C39.003
177GL, HL (postpay)	
local battery	
connections	C39.371
selection	C39.009
178G, H (postpay)	
common battery	
connections	C39.105
selection	C39.003
178GL, HL (postpay)	
local battery	
connections	C39.371
selection	C39.009
182C, D (postpay, manual)	
common battery	
connections	C39.155
selection	C39.003

Coin collectors—continued

182C, D (postpay, manual)	
local battery	
connections	C39.399
selection	C39.009
magneto	
connections	C39.431
selection	C39.015
191 type	
conversion to 196 type	C39.037
191C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
191CL, DL, GL, HL (prepay)	
local battery	
connections	C39.355
selection	C39.009
191CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003
193G, H (postpay)	
common battery	
connections	C39.115
selection	C39.003
193GL, HL (postpay)	
local battery	
connections	C39.377
selection	C39.009
195 type	
conversion to 197 type	C39.037
195C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
195CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003
196 type	
converted from 191 type	C39.037
196C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
196CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003

Coin collectors*Coin collectors—continued*

197 type	
converted from 195 type	C39.037
197C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
197CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003
198G, H (postpay)	
common battery	
connections	C39.115
selection	C39.003
200C, D (postpay, manual)	
common battery	
connections	C39.165
selection	C39.003
210G, H (postpay)	
common battery	
connections	C39.125
selection	C39.003
212G, H (postpay)	
common battery	
connections	C39.125
selection	C39.003
220C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
221C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
222C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
223C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
D-178457 (prepay, dial shorting relay)	
common battery	
connections	C39.075
selection	C39.003
D-178940 (prepay, dial shorting relay)	
common battery	

Coin collectors—continued

D-178940 (prepay, dial shorting relay)	
common battery	
connections	C39.085
selection	C39.003
D-179432 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
D-179433 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
D-179532 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
D-179533 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
<u>common battery</u>	
dials used with	C39.003
handsets used with	C39.003
selection, postpay	C39.003
selection, prepay	C39.003
subscriber sets used with	C39.003
transmission zoning	C39.003
transmitter and receiver used with ..	C39.003
150K, L (postpay, manual)	
circuit diagram	C39.135, ¶3.02
combination of apparatus	C39.135,
Tables A, B	
connections	C39.135
selection	C39.003
152C, D (postpay, manual)	
circuit diagram	C39.145, ¶3.02
combination of apparatus	C39.145,
Tables A, B	
connections	C39.145
selection	C39.003
155C, D, G, H (prepay)	
circuit diagram	C39.039, ¶3.03, 3.04
combination of apparatus	C39.039,
Tables A, B	
connections	C39.039
filter connections	C39.039, Fig. 5
selection	C39.003

Coin collectors**Coin collectors—continued**common battery

- 162A, B, C, D (postpay, manual)
 circuit diagramC39.135, ¶3.02
 combination of apparatusC39.135,
 Tables A, B
 connectionsC39.135
 selectionC39.003
- 164C, D (postpay, manual)
 circuit diagramC39.145, ¶3.02
 combination of apparatusC39.145,
 Tables A, B
 connectionsC39.145
 selectionC39.003
- 166C, D, G, H (prepay)
 circuit diagramC39.041, ¶3.03, 3.04
 combination of apparatusC39.041,
 Tables A, B
 connectionsC39.041
 filter connectionsC39.041, Fig. 5
 selectionC39.003
- 174C, D, G, H (prepay)
 circuit diagramC39.043, ¶3.03, 3.04
 combination of apparatusC39.043,
 Tables A, B
 connectionsC39.043
 filter connectionsC39.043, Fig. 5
 selectionC39.003
- 176C, D, G, H (prepay)
 circuit diagramC39.049, ¶3.03, 3.04
 combination of apparatusC39.049,
 Tables A, B
 connectionsC39.049
 filter connectionsC39.049, Fig. 5
 selectionC39.003
- 182C, D (postpay, manual)
 circuit diagramC39.155, ¶3.01
 combination of apparatusC39.155,
 Tables A, B
 connectionsC39.155
 selectionC39.003
- 191 type
 conversion to 196 typeC39.037
- 191C, D, G, H, CS, DS, GS, HS (prepay)
 circuit diagramC39.055, ¶3.02, 3.03
 combination of apparatusC39.055,
 Tables A, B
 connectionsC39.055
 filter connectionsC39.055, Fig. 5
 selectionC39.003

Coin collectors—continuedcommon battery

- 191CN, DN, GN, HN (prepay)
 circuit diagramC39.065, ¶2.03, 3.02
 combination of apparatusC39.065,
 Tables A, B
 connectionsC39.065
 filter connectionsC39.065, Fig. 6
 selectionC39.003
- 195 type
 conversion to 197 typeC39.037
- 195C, D, G, H, CS, DS, GS, HS (prepay)
 circuit diagramC39.055, ¶3.02, 3.03
 combination of apparatusC39.055,
 Tables A, B
 connectionsC39.055
 filter connectionsC39.055, Fig. 5
 selectionC39.003
- 195CN, DN, GN, HN (prepay)
 circuit diagramC39.065, ¶2.03, 3.02
 combination of apparatusC39.065,
 Tables A, B
 connectionsC39.065
 filter connectionsC39.065, Fig. 6
 selectionC39.003
- 196C, D, G, H, CS, DS, GS, HS (prepay)
 circuit diagramC39.055, ¶3.02, 3.03
 combination of apparatusC39.055,
 Tables A, B
 connectionsC39.055
 filter connectionsC39.055, Fig. 5
 selectionC39.003
- 196CN, DN, GN, HN (prepay)
 circuit diagramC39.065, ¶2.03, 3.02
 combination of apparatusC39.065,
 Tables A, B
 connectionsC39.065
 filter connectionsC39.065, Fig. 6
 selectionC39.003
- 197C, D, G, H, CS, DS, GS, HS (prepay)
 circuit diagramC39.055, ¶3.02, 3.03
 combination of apparatusC39.055,
 Tables A, B
 connectionsC39.055
 filter connectionsC39.055, Fig. 5
 selectionC39.003
- 197CN, DN, GN, HN (prepay)
 circuit diagramC39.065, ¶2.03, 3.02

Coin collectorsCoin collectors—continuedcommon battery

- 197CN, DN, GN, HN (prepay)
 combination of apparatusC39.065,
 Tables A, B
 connectionsC39.065
 filter connectionsC39.065, Fig. 6
 selectionC39.003
- 200C, D (postpay, manual)
 circuit diagramC39.165, ¶3.01
 combination of apparatusC39.165,
 Tables A, B
 connectionsC39.165
 selectionC39.003
- 220C, D, G, H (prepay)
 circuit diagramsC39.067, ¶3.02
 combination of apparatusC39.067,
 Tables A, B
 connectionsC39.067
 filter connectionsC39.067, Fig. 5
 selectionC39.003
- 221C, D, G, H (prepay)
 circuit diagramC39.067, ¶3.02
 combination of apparatusC39.067,
 Tables A, B
 connectionsC39.067
 filter connectionsC39.067, Fig. 5
 selectionC39.003
- 222C, D, G, H (prepay)
 circuit diagramC39.067, ¶3.02
 combination of apparatusC39.067,
 Tables A, B
 connectionsC39.067
 filter connectionsC39.067, Fig. 5
 selectionC39.003
- 223C, D, G, H (prepay)
 circuit diagramC39.067, ¶3.02
 combination of apparatusC39.067,
 Tables A, B
 connectionsC39.067
 filter connectionsC39.067, Fig. 5
 selectionC39.003
- D-178457 (prepay, dial shorting relay)
 circuit diagramC39.075, ¶3.03
 combination of apparatusC39.075,
 Tables A, B
 connectionsC39.075
 filter connectionsC39.075, Fig. 4
 selectionC39.003

Coin collectors—continuedcommon battery

- D-178940 (prepay, dial shorting relay)
 circuit diagramC39.085, ¶3.03
 combination of apparatusC39.085,
 Tables A, B
 connectionsC39.085
 filter connectionsC39.085, Fig. 4
 selectionC39.003
- D-179432 (prepay)
 circuit diagramC39.059, ¶3.01
 combination of apparatusC39.059,
 Tables A, B
 connectionsC39.059
 filter connectionsC39.059, Fig. 4
 selectionC39.003
- D-179433 (prepay)
 circuit diagramC39.059, ¶3.01
 combination of apparatusC39.059,
 Tables A, B
 connectionsC39.059
 filter connectionsC39.059, Fig. 4
 selectionC39.003
- D-179532 (prepay)
 circuit diagramC39.059, ¶3.01
 combination of apparatusC39.059,
 Tables A, B
 connectionsC39.059
 filter connectionsC39.059, Fig. 4
 selectionC39.003
- D-179533 (prepay)
 circuit diagramC39.059, ¶3.01
 combination of apparatusC39.059,
 Tables A, B
 connectionsC39.059
 filter connectionsC39.059, Fig. 4
 selectionC39.003
- community dial office service
- 158G, H (postpay)
 circuit diagramC39.095, ¶3.02
 combination of apparatusC39.095,
 Tables A, B
 connectionsC39.095
 selectionC39.003
- 168G, H (postpay)
 circuit diagramC39.095, ¶3.02
 combination of apparatusC39.095,
 Tables A, B
 connectionsC39.095
 selectionC39.003

Coin collectors**Coin collectors—continued**

<u>common battery</u>	
community dial office service	
177G, H (postpay)	
circuit diagram	C39.105, ¶3.02
combination of apparatus	C39.105,
	Tables A, B
connections	C39.105
selection	C39.003
178G, H (postpay)	
circuit diagram	C39.105, ¶3.02
combination of apparatus	C39.105,
	Tables A, B
connections	C39.105
selection	C39.003
193G, H (postpay)	
circuit diagram	C39.115, ¶3.00
combination of apparatus	C39.115,
	Tables A, B
connections	C39.115
selection	C39.003
198G, H (postpay)	
circuit diagram	C39.115, ¶3.00
combination of apparatus	C39.115,
	Tables A, B
connections	C39.115
selection	C39.003
210G, H (postpay)	
circuit diagram	C39.125, ¶3.00
combination of apparatus	C39.125,
	Tables A, B
connections	C39.125
selection	C39.003
212G, H (postpay)	
circuit diagram	C39.125, ¶3.00
combination of apparatus	C39.125,
	Tables A, B
connections	C39.125
selection	C39.003
<u>community dial office</u>	
158G, H	C39.095
168G, H	C39.095
177G, H	C39.105
178G, H	C39.105
193G, H	C39.115
198G, H	C39.115
210G, H	C39.125
212G, H	C39.125
<u>conversion (of)</u>	
191 type to 196 type	C39.037

Coin collectors—continued

<u>conversion (of)</u>	
195 type to 197 type	C39.037
dial, prepay common battery types to dial	
shorting operations	C39.038
code numbers	C39.038
induction coil type	C39.038
network type	C39.038
manufactured prior to 1953	C39.037, ¶3.03
test and adjustments	C39.038, ¶5.00
<u>identification</u>	C39.023
<u>installation</u>	C39.025
<u>local battery</u>	
dials used with	C39.009
handsets used with	C39.009
selection, postpay	C39.009
selection, prepay	C39.009
subscriber sets used with	C39.009
transmitter and receiver used with	C39.009
150K, L (postpay, manual)	
circuit diagram	C39.387, ¶3.03, 3.04
combination of apparatus	C39.387,
	Tables A, B
connections	C39.387
selection	C39.009
152C, D (postpay, manual)	
circuit diagram	C39.393, ¶3.03
combination of apparatus	C39.393,
	Tables A, B
connections	C39.393
selection	C39.009
155CL, DL, GL, HL (prepay)	
circuit diagram	C39.331, ¶3.05, 3.06
combination of apparatus	C39.331,
	Tables A, B
connections	C39.331
filter connections	C39.331, Fig. 5
selection	C39.009
162A, B, C, D (postpay, manual)	
circuit diagram	C39.387, ¶3.03, 3.04
combination of apparatus	C39.387,
	Tables A, B
connections	C39.387
selection	C39.009
164C, D (postpay, manual)	
circuit diagram	C39.393, ¶3.03
combination of apparatus	C39.393,
	Tables A, B
connections	C39.393
selection	C39.009

Coin collectorsCoin collectors—continuedlocal battery

- 166CL, DL, GL, HL (prepay)
 circuit diagramC39.337, ¶3.05, 3.06
 combination of apparatusC39.337,
 Tables A, B
 connectionsC39.337
 filter connectionsC39.337, Fig. 5
 selectionC39.009
- 174CL, DL, GL, HL (prepay)
 circuit diagramC39.343, ¶3.05, 3.06
 combination of apparatusC39.343,
 Tables A, B
 connectionsC39.343
 filter connectionsC39.343, Fig. 5
 selectionC39.009
- 176CL, DL, GL, HL (prepay)
 circuit diagramC39.349, ¶3.05, 3.06
 combination of apparatusC39.349,
 Tables A, B
 connectionsC39.349
 filter connectionsC39.349, Fig. 5
 selectionC39.009
- 182C, D (postpay, manual)
 circuit diagramC39.399, ¶3.03
 combination of apparatusC39.399,
 Tables A, B
 connectionsC39.399
 selectionC39.009
- 191CL, DL, GL, HL (prepay)
 circuit diagramC39.355, ¶3.05, 3.06
 combination of apparatusC39.355,
 Tables A, B
 connectionsC30.355
 filter connectionsC39.355, Fig. 5
 selectionC39.009
- community dial office service
- 158GL, HL (postpay)
 circuit diagramC39.365, ¶3.03, 3.04
 combination of apparatusC39.365,
 Tables A, B
 connectionsC39.365
 selectionC39.009
- 168GL, HL (postpay)
 circuit diagramC39.365, ¶3.03, 3.04
 combination of apparatusC39.365,
 Tables A, B
 connectionsC39.365
 selectionC39.009

Coin collectors—continuedlocal battery

community dial office service

- 177GL, HL (postpay)
 circuit diagramC39.371, ¶3.03, 3.04
 combination of apparatusC39.371,
 Tables A, B
 connectionsC39.371
 selectionC39.009
- 178GL, HL (postpay)
 circuit diagramC39.371, ¶3.03, 3.04
 combination of apparatusC39.371,
 Tables A, B
 connectionsC39.371
 selectionC39.009
- 193GL, HL (postpay)
 circuit diagramC39.377, ¶3.03
 combination of apparatusC39.377,
 Tables A, B
 connectionsC39.377
 selectionC39.009
- magneto
- handsets used withC39.015
 selectionC39.015
 subscriber sets used withC39.015
 transmitters and receivers used with.C39.015
- 150K, L (postpay, manual)
 circuit diagramC39.419, ¶3.03, 3.04
 combination of apparatusC39.419,
 Tables A, B
 connectionsC39.419
 selectionC39.015
- 152C, D (postpay, manual)
 circuit diagramC39.425, ¶3.03, 3.04
 combination of apparatusC39.425,
 Tables A, B
 connectionsC39.425
 selectionC39.015
- 162A, B, C, D (postpay, manual)
 circuit diagramC39.419, ¶3.03, 3.04
 combination of apparatusC39.419,
 Tables A, B
 connectionsC39.419
 selectionC39.015
- 164C, D, (postpay, manual)
 circuit diagramC39.425, ¶3.03, 3.04
 combination of apparatusC39.425,
 Tables A, B
 connectionsC39.425
 selectionC39.015

Coin collectors—Light fixtures**Coin collectors—continued**

- magneto
 - 182C, D (postpay, manual)
 - circuit diagramC39.431, ¶3.03
 - combination of apparatusC39.431, Table A, B
 - connectionsC39.431
 - selectionC39.015
 - maintenance, generalC39.029
 - method of operationC39.019
 - parts, assemblyC39.023
 - postpay
 - common battery
 - selectionC39.003
 - local battery
 - selectionC39.009
 - maintenanceC39.031
 - prepay
 - common battery
 - selectionC39.003
 - local battery
 - selectionC39.009
 - maintenanceC39.035
 - pull bucket
 - maintenanceC39.033
 - (adapted for) U. S. and Canadian
 - coinsC39.003; C39.009; C39.015
- Coin relay** *See* Coin collectors:
 - combination of apparatus
- Community dial office service** *See* Coin collectors
- Conversion** *See* Coin collectors

D

- Dial adapter** *See* Coin collectors:
 - combination of apparatus
 - Also C18 Group
- Dial shorting relay, P-10C117**C39.038
- Dials** *See* Coin collectors:
 - combination of apparatus
 - Also C18 Group
- Directory** *See* Telephone Directory
- Directory alcove, KS-16361**
 - descriptionC39.717
 - installationC39.717
 - assembly sequenceC39.717
 - procedureC39.717

Directory alcove, KS-16361—continued

- installation
 - parts requiredC39.717
 - item numberC39.717
 - nomenclatureC39.717
 - special tools forC39.717
- maintenanceC39.717
- suppliesC39.717
- survey for locationC39.717, ¶3.00

F**Fasteners**

- directory
 - No. 1, 2, 3, 4C39.715
 - KS-6472C39.715
 - (for) directory cabinets, No. 24 .C39.715, ¶3.03
 - (for) directory shelvesC39.715
 - (for) directory tables, types 51, 52, 53
 - C39.715, ¶3.05

G

- Grounds** *See also* C23.031
 - (for) booths, outdoorC39.705

H

- Hangers, directory**C39.715

I

- Indoor booths** *See* Booths
- Inductive noise** *See* C38 Group

L**Light fixtures**

- (for) boothsC39.701
- (for) directory shelvesC39.701
- power cables
 - diagramsC39.701, Fig. 8
- 2 type
 - identificationC39.701, ¶7.02
 - installationC39.703, ¶7.00
 - useC39.701, ¶7.03
- 3 type
 - cable connectionsC39.703, ¶6.01
 - identificationC39.701, ¶7.05
 - useC39.701, ¶7.05

SECTION C39.000

Light fixtures—Telephone directory

Light fixtures—continued

- 4-A
 - cable connectionsC39.703, ¶6.02
 - identificationC39.701, ¶7.08
 - useC39.701, ¶7.07

M

Manual coin collectors *See* Coin collectors

N

Number cards *See* C18 Group

O

Outdoor booths *See* Booths

P

- Power receptacles** *See* Booths
- Protector grounds** *See* C23 Group
- Pull bucket** *See* Coin collectors
- Public telephone signs**
 - identificationC39.711
 - installationC39.713

R

- Radio signal suppression** *See* C38 Group
- Receiver cord** *See* Coin collectors:
 - combination of apparatus
 - Also C18 Group
- Receivers** *See* Coin collectors:
 - combination of apparatus
 - Also C18 Group
- Relay cover** *See* Coin collectors:
 - combination of apparatus
- Ringling bridge limitations** *See* C38 Group
- Roto-Lock** *See* Booths

S

- Shelves**
 - booth
 - 18E '
 - identificationC39.701, ¶5.02
 - maintenanceC39.707, ¶6.00
 - useC39.701, ¶5.00

Shelves—continued

- directory
 - No. 11, 12, 13, 17
 - installationC39.715
 - fastenersC39.715
 - mountingC39.715, ¶3.12, 3.13
 - indoor
 - 19A
 - identificationC39.701, ¶6.00
 - installation
 - coin collectorC39.703, ¶13.13
 - directory and binder...C39.703, ¶13.14
 - mountingC39.703, ¶13.11, 13.12
 - requirements,
 - generalC39.703, ¶13.01-13.08
 - subscriber setC39.703, ¶13.09, 13.10
 - wiringC39.703, ¶14.00
 - maintenanceC39.707, ¶11.00
 - useC39.701, ¶6.02
 - Station protection** *See* C23 Group
 - Station sets, coin** *See* Coin collectors
 - Subscriber sets** *See* C38 Group

T

- Tables, directory**C39.715
- Telephone directory**
 - cabinet, No. 24
 - installationC39.715
 - fasteners, corner braceC39.715
 - directory fasteners
 - locatingC39.715
 - placing directories inC39.715
 - No. 1, 2, 3, 4
 - capacityC39.715
 - installationC39.715, ¶3.05
 - KS-6472
 - capacityC39.715
 - installationC39.715, ¶3.04
 - directory hangers
 - KS-7302
 - installationC39.715, ¶3.07
 - KS-13350, Lists 1, 2, 3, 4
 - capacityC39.715
 - installationC39.715, ¶3.08
 - directory shelvesC39.715
 - tables, 51, 52, 53 type
 - installationC39.715
 - fasteners, corner braceC39.715

Transmission zoning—Wiring, electric

Transmission zoning *See* C38 Group
Transmitter *See* Coin collectors:
 combination of apparatus
 Also C18 Group

Transmitter cord *See* Coin collectors:
 combination of apparatus
 Also C18 Group

V

Varistor *See* Coin Collectors:
 combination of apparatus:
 Also C18 Group

Ventilator, KS-8164 *See* Booths

W

Washer rejector *See* Coin collectors

Wiring, electric
 booths
 indoorC39.701
 outdoorC39.705
 regulations *See* "National Electric Code"