

ALPHABETICAL INDEX

A

Abbreviations

key equipment, 112A
identificationC71.668

Air Force (U. S.) Radar Approach Control Centers

See Key equipment, 102A (RAPCON)

Apparatus

key equipment
102A (RAPCON)C71.623; C71.625
112AC71.667
key telephone system
1A1C71.337
6AC71.011, ¶3.00

Attendant's telephone and key circuit

key equipment
102A (RAPCON)
identificationC71.623, ¶3.00
installationC71.627
maintenanceC71.629, ¶3.00, ¶9.00
112A
identificationC71.668
maintenanceC71.676

Audible signals

key equipment
102A (RAPCON)C71.627, ¶5.02
112AC71.683
key telephone system, 1A1...C71.340; C71.341

Automatic cutoff

key telephone system, 1A1C71.345

Automatic ringdown circuit

key equipment
102A (RAPCON)
identificationC71.623, ¶12.03
maintenanceC71.629, ¶4.02
112A
identificationC71.668
maintenanceC71.682

Automatic tie line circuit

key equipment, 112A
maintenanceC71.711

Auxiliary signal circuit

key equipment, 112A
identificationC71.668

B

Buzzer circuit

key telephone system, 1A1C71.349.1

C

Channel assignment circuit

key equipment, 112A
identificationC71.668
maintenanceC71.685

Command post console *See* Console

Console

key equipment, 112A
installation
console
auxiliaryC71.669
command deskC71.669
long-range input monitorC71.669
long-range radar or
Texas towerC71.669
maintenanceC71.669
radar data mappingC71.669
situation displayC71.669
staff deskC71.669

Control system, supervisory

See Supervisory control system, SC-2

D

Definitions

operational sketchC71.017, ¶2.01
sequence chartC71.017, ¶2.01

Dial selective intercommunicating circuit

key telephone system, 1A1C71.342.1;
C71.342.2

E

Executive calling system

key equipment, 112A
identificationC71.668
maintenanceC71.683

SECTION C71.000

Features—Key equipment

F

Features

- key equipment
 - 102A (RAPCON)
 - identificationC71.623
 - 112A
 - identificationC71.668
- key telephone system, 6A
 - identificationC71.011

Flashing circuit

- key equipment
 - 102A (RAPCON)
 - maintenanceC71.629, ¶3.08, ¶9.07
 - 112A
 - identificationC71.668
 - maintenanceC71.673
- key telephone system, 6A
 - maintenance
 - single-talking linkC71.018, ¶10.00
 - two-talking linkC71.019, ¶11.00

Four-wire station circuit

- key equipment, 102A (RAPCON)
 - maintenanceC71.629, ¶8.00

Fusing

- key equipment, 102A (RAPCON)
 - C71.625, ¶2.00
- key telephone system, 6A
 - selector onlyC71.012, ¶5.00
 - single-talking linkC71.013
 - two-talking linkC71.014

H

Holding

- key telephone system, 1A1...C71.340; C71.341

I

Intercommunicating lines

- key telephone system, 1A1C71.342.3

Interposition line circuit

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.678; C71.705

Inward conferencing

- key telephone system, 6A
 - selector onlyC71.017, ¶12.00
 - single-talking linkC71.018, ¶13.00
 - two-talking linkC71.019, ¶15.00

K

Key and telephone set circuit using separately mounted B-type keys

- key equipment, 112A
 - identificationC71.668

Key equipment

See also Key telephone systems

102A (RAPCON)

- apparatus and piece partsC71.625
- connectionsC71.631
- identificationC71.623
- featuresC71.623, ¶3.00-12.00
- installationC71.627
- maintenanceC71.629
 - attendant's telephone
 - and key circuitC71.629, ¶3.00
 - long lines (4-wire repeater) .C71.629, ¶6.00
 - private linesC71.629, ¶5.00, ¶7.00
 - tie linesC71.629, ¶4.00
 - ordering informationC71.625
 - table of contentsC71.621

112A

- general information and
 - list of sectionsC71.667
- identificationC71.668
- installationC71.669
 - console
 - auxiliaryC71.669
 - command deskC71.669
 - long-range input monitorC71.669
 - long-range radar or Texas
 - towerC71.669
 - maintenanceC71.669
 - radar data mappingC71.669
 - situation displayC71.669
 - staff deskC71.669
 - designation strips and faceplates..C71.669
 - key units
 - flush mountingC71.669
 - surface mountingC71.669
 - miniature connectorsC71.669
 - SAFETY PRECAUTIONC71.669

maintenance

- attendant's telephone and
 - key circuit, SD-69261-01C71.676
- automatic tie line circuit,
 - SD-69331.01C71.711
- channel assignment circuits,
 - SD-69272-01, SD-69278-01 ...C71.685
- executive calling system,
 - SD-69236-01C71.683

Key equipment—Key telephone systems**Key equipment—contd**

112A

maintenance

flashing circuit, SD-69266-01C71.673

interposition line circuit

SD-69262-01C71.678

SD-69302-01C71.705

line circuit to simulator

position, SD-69332-01C71.689

line, key, and telephone

circuits, SD-69291-01

(at) remote locationsC71.688

loudspeaker circuit, SD-69274-01..C71.680

maintenance line and station

circuit, SD-69267-01C71.670

schematic drawing, Fig. 12C71.670

PBX line and signal circuits

SD-69263-01C71.679

SD-69303-01C71.706

PBX tie trunk simulating

line circuit, SD-69336-01C71.692

position buzzer power circuit,

SD-69273-01C71.677

radio circuits,

SD-69261-01, SD-69268-01,

SD-69272-01, SD-69278-01,

SD-69289-01

air groundC71.684

monitor panelC71.687

patch and test panelC71.694

supervisory panelC71.686

recorder patch and monitor

circuit, SD-69335-01C71.691

portable reproducer, KS-16660, L1

instruction manual,

KS-16660, L2C71.696

recorder reproducer, KS-16657, L1

instruction manual,

KS-16657, L2C71.693

ringdown line circuit,

SD-69264-01C71.682

selective signaling line circuit,

SD-69265-01C71.671

station line circuits

(one-way), SD-69283-01C71.672

(two-way), SD-69284-01C71.674

tie line circuit, SD-69285-01C71.675

training activating circuit,

SD-69334-01C71.690

transfer circuits,

SD-69277-01, SD-95807-01 ...C71.681

Key equipment—contd

112A

maintenance

two-wire private line circuit,

SD-69304-01C71.707

operational sketch, symbol

designationC71.667

precautionC71.667

section list (SAGE)C71.667

sequence chart, symbol designation..C71.667

table of contents (SAGE)C71.667

Key telephone sets

440, 460 series

connection data

key telephone system, 1A1C71.346

540, 560 series

connection data

key telephone system, 1A1C71.347

Key telephone systems

1A and 1A1

features

cutoff and exclusion

automaticC71.331, ¶2.06-2.08

manualC71.331, ¶2.05

dial selectiveC71.331, ¶2.15-2.18

holdC71.331, ¶2.03-2.04

incoming signals

visual and/or audibleC71.331, ¶2.02

intercommunicating

automaticC71.331, ¶2.14

manualC71.331, ¶2.11-2.13

line selectionC71.331, ¶2.01

private line

automatic tie lineC71.331, ¶2.21

ringdown tie lineC71.331, ¶2.20

station line circuitC71.331, ¶2.22

radio frequency noise

suppressorC71.331, ¶2.23

signals

audibleC71.331, ¶2.09

visualC71.331, ¶2.10

identificationC71.331

key telephone units

(for) key system, 1A ..C71.331, ¶3.01-3.04

(for) key system, 1A1 .C71.331, ¶3.05-3.09

power supplyC71.331, ¶5.00; C71.339

station apparatus

key telephone setsC71.331, ¶4.01-4.03

keys, externally mounted ...C71.331, ¶4.04

SECTION C71.000

Key telephone systems

Key telephone systems—contd

1A1

connection data
440, 460 series key telephone sets . . C71.346
540, 560 series key telephone sets . . C71.347
automatic cutoff (26B, 29A KTU) . C71.345
buzzer circuit C71.349.1
common audible signal
(202A, B; 209A KTU) C71.340
(202A, B; 212A KTU) C71.341
dial selective intercommunicating circuit
(207A, B; 208A; 209A;
212A KTU) C71.342.1
(207A, B KTU) C71.342.2
holding
(202A, B; 209A KTU) C71.340
(202A, B; 212A KTU) C71.341
intercommunicating lines
(31A, 211A KTU) C71.342.3
introduction C71.338
keys, separately mounted C71.348
lamp resistor units C71.349.3
lamp wink circuit
(202A, B; 209A, 210A KTU) . . . C71.343
(202A, B; 210A, 212A KTU) . . . C71.344
line and busy lamps
(202A, B; 209A KTU) C71.340
(202A, B; 212A KTU) C71.341
line pickup
(202A, B; 212A KTU) C71.341
power supply C71.339
signal key circuit C71.349.1
station line circuit (205A KTU) . . C71.349.2
table of contents C71.337
tie lines (203A, 204A KTU) C71.349.2
wink circuit
(202A, B; 209A, 210A KTU) . . . C71.343
(202A, B; 210A, 212A KTU) . . . C71.344

6A

connections
two-talking link C71.014
identification C71.011
selector only C71.011, ¶2.02
single-talking link C71.011, ¶2.02
two-talking link C71.011, ¶2.02
installation
selector only C71.012
single-talking link C71.013
two-talking link C71.014

Key telephone systems—contd

6A

maintenance
selector only
audible signals C71.017, ¶9.00
inward conferencing . . . C71.017, ¶12.00
line seizure C71.017, ¶3.00
off-premise station C71.017,
¶13.00-15.00
preset conference C71.017, ¶11.00
station selection C71.017, ¶4.00-6.00
talking path C71.017, ¶8.00
transfer circuit C71.017, ¶7.00
visual signals C71.017, ¶10.00
single-talking link
audible signals C71.018, ¶9.00
camp-on C71.018, ¶14.00
inward conferencing . . . C71.018, ¶13.00
line seizure C71.018, ¶3.00
off-premise station C71.018,
¶15.00-17.00
preset conference C71.018, ¶11.00
selected conference C71.018, ¶12.00
station selection C71.018, ¶4.00-6.00
talking path C71.018, ¶8.00
transfer circuit C71.018, ¶7.00
visual signals C71.018, ¶10.00
two-talking link
audible signals C71.019, ¶10.00
busy signals C71.019, ¶12.00
camp-on C71.019, ¶16.00
inward conferencing . . . C71.019, ¶15.00
line seizure C71.019, ¶3.00
off-premise station C71.019,
¶17.00-19.00
preset conference C71.019, ¶13.00
selected conference C71.019, ¶14.00
station selection C71.019, ¶4.00-6.00
talking path C71.019, ¶8.00-9.00
transfer circuit C71.019, ¶7.00
visual signals C71.019, ¶11.00
operational sketch C71.017, ¶2.01
selector only
identification C71.011
installation C71.012
maintenance C71.017
sequence charts C71.017, ¶2.01
single-talking link
identification C71.011
installation C71.013
maintenance C71.018

Key telephone systems—Power supply**Key telephone systems—contd**

6A

- two-talking link
 - connectionsC71.014
 - identificationC71.011
 - installationC71.014
 - maintenanceC71.019

Keys, separately mounted

- (for) key telephone system, 1A1C71.348

L**Lamp resistor unit**

- key telephone system, 1A1C71.349.3

Lamp wink circuit

- key telephone system, 1A1 ...C71.343; C71.344

Line circuit to simulator position, SD-69332-01

- key equipment, 112A (SAGE)
 - identificationC71.668
 - maintenanceC71.689

Line, key, and telephone circuits, SD-69291-01

- key equipment, 112A (SAGE)
 - identification
 - (at) remote locationsC71.668
 - maintenance
 - (at) remote locationsC71.688

Line pickup

- key telephone system, 1A1 ...C71.340; C71.341

Long lines (4-wire repeater)

- key equipment, 102A (RAPCON)
 - maintenanceC71.629, ¶6.00

Loudspeaker circuit

- key equipment
 - 102A (RAPCON)
 - identificationC71.623, ¶10.00
 - maintenanceC71.629, ¶8.04-8.06
 - 112A
 - identificationC71.668, ¶3.08
 - maintenanceC71.680

M**Main station**

- supervisory control system, SC-2
 - maintenanceC71.805

Maintenance console *See Console***Maintenance line and station circuit**

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.670

Monitor station

- supervisory control system, SC-2
 - maintenanceC71.806

O**Off-premise station**

- key telephone system, 6A
 - selector onlyC71.017, ¶13.00-15.00
 - single-talking linkC71.018, ¶15.00-17.00
 - two-talking linkC71.019, ¶17.00-19.00

Operating console *See Console***Operational sketch** (definition)C71.017, ¶2.01**Override feature**

- key equipment, 102A (RAPCON)
 - identificationC71.623, ¶5.00-6.00

P**PBX line and signal circuit**

- key equipment
 - 102A (RAPCON)
 - maintenanceC71.629, ¶3.06-3.08
 - 112A
 - identificationC71.668
 - maintenanceC71.679; C71.706

PBX tie trunk simulating line circuit

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.692

Position buzzer power circuit

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.677

Power plants *See Power supply***Power supply**

- key equipment
 - 102A (RAPCON)C71.627, ¶5.00
 - 112AC71.669
- key telephone system
 - 1A1C71.339
 - 6A
 - selector onlyC71.012, ¶4.00
 - single-talking linkC71.013, ¶4.00
 - two-talking linkC71.014
- supervisory control system, SC-2
 - maintenance
 - main stationC71.805, ¶4.00
 - satellite stationC71.807, ¶9.00

SECTION C71.000

Preset conference—Station line circuit (one-way)

Preset conference

- key telephone system, 6A
 - selector onlyC71.017, ¶11.00
 - single-talking linkC71.018, ¶11.00
 - two-talking linkC71.019, ¶13.00

Private lines

- key equipment, 102A (RAPCON)
 - identificationC71.623, ¶11.00-12.00
 - maintenanceC71.629, ¶5.00, ¶7.00

Private line station circuit

- 2-wire and 4-wire *Refer to SD-69254-01*

R

Radar Approach Control Centers

See Key equipment, 102A (RAPCON)

Radio circuits

- key equipment
 - 102A (RAPCON)
 - identificationC71.623, ¶8.00-9.00
 - maintenanceC71.629, ¶3.00
 - 112A
 - identificationC71.668
 - maintenance
 - air groundC71.684
 - supervisory panelC71.686
 - monitor panelC71.687
 - patch and test panelC71.694

RAPCON (U. S. Air Force Radar Approach Control Centers) *See Key equipment, 102A (RAPCON)*

Recorder patch and monitor circuit

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.691
 - portable reproducer, KS-16660, L1
 - instruction manual,
 - KS-16660, L2C71.696
 - recorder reproducer, KS-16657, L1
 - instruction manual,
 - KS-16657, L2C71.693

Ringdown line circuit

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.682

S

SAGE *See also Key equipment, 112A*

- 112A key equipment
 - general information and list of sections
 - for SAGE systemsC71.667

Satellite station

- supervisory control system, SC-2
 - maintenanceC71.807

Selected conference

- key telephone system, 6A
 - maintenance
 - single-talking linkC71.018, ¶12.00
 - two-talking linkC71.019, ¶14.00

Selective signaling line circuit

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.671

Selector only

- key telephone system, 6A
 - identificationC71.011, ¶2.02
 - installationC71.012
 - maintenanceC71.017

Sequence chart

- key equipment
 - 102A (RAPCON)C71.629, ¶2.00
 - 112AC71.667
 - key telephone system, 6AC71.017, ¶2.01

Signal key circuit

- key telephone system, 1A1C71.349.1

Signaling circuit

- supervisory control system, SC-2
 - maintenanceC71.808
 - main stationC71.808, ¶2.00
 - monitor stationC71.808, ¶3.00
 - satellite stationC71.808, ¶3.00

Signals *See Audible signals; Visual signals*

Single-talking link

- key telephone system, 6A
 - identificationC71.011, ¶2.02
 - installationC71.013
 - maintenanceC71.018

Station circuit

- key equipment, 102A (RAPCON)
 - maintenanceC71.629, ¶8.00

Station connections

- key telephone system, 1A1
 - 440, 460 series key telephone sets...C71.346
 - 540, 560 series key telephone sets...C71.347

Station line circuit

- key equipment, 112A
 - identificationC71.668
- key telephone system, 1A1C71.349.2

Station line circuit (one-way)

- key equipment, 112A
 - identificationC71.668
 - maintenanceC71.672

Station line circuit (two-way)—Wiring and cabling**Station line circuit (two-way)**

key equipment, 112A
 identificationC71.668
 maintenanceC71.674

Supervisory control system, SC-2

maintenance
 main stationC71.805
 power plantC71.805, ¶4.00
 timersC71.805, ¶5.00
 monitor stationC71.806
 relay timingC71.806, ¶12.00
 spare partsC71.806, ¶13.00
 timerC71.806, ¶9.00
 satellite stationC71.807
 power plantC71.807, ¶9.00
 relay timingC71.807, ¶13.00
 spare partsC71.807, ¶14.00
 signaling circuitC71.808
 main stationC71.808, ¶2.00
 monitor stationC71.808, ¶3.00
 satellite stationC71.808, ¶3.00

T

Telephone sets, key *See* Key telephone sets
Telephone systems, key *See* Key telephone systems

Tie lines

key equipment, 102A (RAPCON)
 maintenanceC71.629, ¶4.00
 key telephone system, 1A1C71.349.2

Tie line circuit

key equipment, 112A
 identificationC71.668
 maintenanceC71.675

Timer

supervisory control system, SC-2
 maintenance
 main stationC71.805, ¶5.00
 monitor stationC71.806, ¶9.00
 satellite stationC71.807, ¶10.00

Training activating circuit

key equipment, 112A
 identificationC71.668
 maintenanceC71.690

Transfer circuit

key equipment, 112A
 identificationC71.668
 maintenanceC71.681

Transfer key

key equipment, 102A (RAPCON)
 identificationC71.623, ¶4.00

Two-talking link

key telephone system, 6A
 identificationC71.011, ¶2.02
 installationC71.014
 maintenanceC71.019

Two-wire private line circuit

key equipment, 112A
 maintenanceC71.707

U

United States Air Force Radar Approach Control Centers
See Key equipment, 102A (RAPCON)

V**Visual signals**

key telephone system, 1A1 ...C71.340; C71.341

W**Wink circuit**

key telephone system, 1A1 ...C71.343; C71.344

Wiring and cabling

key equipment
 102A (RAPCON)C71.627, ¶6.00
 112AC71.669
 key telephone system, 6A
 selector onlyC71.012, ¶2.00
 single-talking linkC71.013, ¶2.00
 two-talking linkC71.014